power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0

Page 1 / 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

power steering oil Article number: 08972

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200

(HCS 2012)

Hazard pictogramsNoneSignal wordNoneHazard statementsNonePrecautionary statementsNone

Special labelling EUH210 Safety data sheet available on request.

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

This product is classified as non-hazardous in accordance to OSHA Standard 29 CFR

1910.1200

SECTION 3: Composition / Information on ingredients

3.1 Substances

Not applicable

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0

Page 2 / 14

3.2 Mixtures

The product is a mixture.

Range [%]	Substance	
30 - < 60	Distillates (petroleum), hydrotreated light paraffinic	
	CAS: 64742-55-8	
1 - < 2,5	Methacrylate copolymer	
1 - < 2,5	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract)	
	CAS: 72623-86-0	

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Fire extinguishing method of surrounding areas must be considered.

Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Sulphur oxides (SOx). Hydrogen sulfide ((H2S).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0

Page 3 / 14

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

Ensure adequate ventilation.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Fire class (DIN EN 2): B

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0 Page 4 / 14

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance

Distillates (petroleum), hydrotreated light paraffinic

CAS: 64742-55-8

Long-term exposure: 5 mg/m³, ACGIH Oil mist, mineral

DNEL

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

Industrial, inhalative, Long-term - local effects, 5,4 mg/m³/8h (Aerosol)

general population, inhalative, Long-term - local effects, 1,2 mg/m³/24h (Aerosol)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m3

Industrial, inhalative, Long-term - local effects, 5.58 mg/m³

Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day

general population, inhalative, Long-term - local effects, 1.19 mg/m³

general population, oral, Long-term - systemic effects, 740 µg/kg bw/day

PNEC

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

. . .

oral (food), 9.33 mg/kg food

8.2 Exposure controls

Additional advice on system design

Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards Not determined

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0

Page 5 / 14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateLiquidFormLiquidColorbrownOdorcharacteristicOdor thresholdNot applicablepH-valueNot applicablepH-value [1%]Not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] ca. 175 (EN ISO 2592)
Flammability No information available.
Lower explosion limit No information available.
Upper explosion limit No information available.

Oxidizing properties No Vapor pressure/gas pressure [kPa] < 0.01

Density [g/cm³] ca. 0,86 (15 °C / 59,0 °F)

Relative density

Bulk density [kg/m³]

Not applicable

Solubility in water

Not miscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity ca. 36 mm²/s (40° C) (DIN 51562/T1)

Relative vapour density

Melting point [°C]

Auto-ignition temperature [°C]

Decomposition temperature [°C]

Particle characteristics

No information available.

No information available.

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

Reactions with acids.

10.4 Conditions to avoid

Strong heating.

Decomposes begins at > 65°C °C.

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0

Page 6 / 14

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0

Page 7 / 14

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, oral, >2000 mg/kg bw

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, oral, Rat, > 5000 mg/kg (OECD 420)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, oral, Rat, 5000 mg/kg bw

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, dermal, >2000 mg/kg bw

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, > 5000 mg/kg (OECD 402)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Product

ATE-mix, inhalativ (vapor), >20 mg/L

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, > 5 mg/l /4h(Aerosol) (OECD 403)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

Eye, non-irritating

Skin corrosion/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

dermal, non-irritating

Respiratory or skin sensitisation

Based on the information available, the classification criteria have not been fulfilled.

Substance

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0 Page 8 / 14

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the information available, the classification criteria have not been fulfilled.

Specific target organ toxicity — repeated exposure

Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

in vitro, negativ

Reproduction toxicity

Based on the information available, the classification criteria have not been fulfilled.

- Fertility

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-

86-0

NOAEL, oral, Rat, 1000 mg/kg bw/day

- **Development** No information available.

CarcinogenicityBased on the information available, the classification criteria have not been fulfilled. **Aspiration hazard**Based on the information available, the classification criteria have not been fulfilled.

General remarks Has a degreasing effect on the skin.

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

EL50, (72h), Pseudokirchneriella subcapitata, > 100 mg/l (OECD 201)

EL50, (48h), Daphnia magna, > 10000 mg/l (OECD 202)

LL50, (96h), Oncorhynchus mykiss, > 100 mg/l (OECD 203)

NOAEL, (21d), Daphnia magna, 10 mg/l (OECD 211)

NOAEL, Oncorhynchus mykiss, > 1000 mg/l (14/28d)(QSAR Petrotox))

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

NOELR, (14d), fish, 1 g/L

LL50, (96h), Invertebrates, 10 g/L

LL50, (96h), fish, 100 mg/L

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0

Page 9 / 14

12.2 Persistence and degradability

Behaviour in environment

compartments

Not determined

Behaviour in sewage plant

Can be separated out mechanically in purification plants.

Biological degradability

Biodegradable in part only

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecotoxicological data are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control

regulations. Consult your local or regional authorities.

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Page 10 / 14 Version 12.0. Supersedes version: 10.0

SECTION 14: Transport

14.1 UN number

Transport by land according to

ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with

IMDG

Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

DOT Road Shipment Information (49 Not applicable

CFR)

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with Not applicable

IMDG

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0 Page 11 / 14

14.4 Packing group

Transport by land according to ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with Not applicable **IMDG**

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

14.5 Environmental hazards

Transport by land according to ADR/RID

No

Inland navigation (ADN)

No

Marine transport in accordance with No

IMDG

Air transport in accordance with IATA No

DOT Road Shipment Information (49 No

CFR)

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0

Page 12 / 14

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations 29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA,

TSCA, California - Prop. 65

- SARA, 302 This product does not contain any ingredients regulated under this list. - SARA, 311 This product does not contain any ingredients regulated under this list. - SARA, 313 This product does not contain any ingredients regulated under this list.

- CA Proposition 65 No components require labeling under California Proposition 65.

- TSCA All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory.

- FDA Not applicable

American Conference of

Governmental Industrial Hygienists -

ACGIH

A4: Not classifiable as a human carcinogen.

Cancer IARC

International Agency for Research on IARC: Not classifiable as to carcenogenicity to humans.

National Toxicology Program - NTP This product is not named NTP - National Toxicology Program.

HAP-VOC Not applicable

Transport-regulations DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024

Version 12.0. Supersedes version: 10.0 Page 13 / 14

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;

CAS = Chemical Abstracts Service;

CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;

CFR = Code of Federal Regulations;

CPR = Controlled Products Regulations;

DMEL = Derived Minimum Effect Level;

DNEL = Derived No Effect Level;

DOT = Department of Transportation;

EC50 = Median effective concentration;

EPA = Environmental Protection Agency;

GHS = Globally Harmonized System of Classification and Labelling of Chemicals;

IATA = International Air Transport Association;

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk;

IC50 = Inhibition concentration, 50%;

IMDG = International Maritime Code for Dangerous Goods;

IARC = International Agency of Research on Cancer;

IATA = International Air Transport Association;

TSCA = Toxic Substance Control Act;

HMIS = Hazardous Materials Identification System;

NFPA = National Fire Protection Association;

NIOSH = National Institute for Occupational Safety and Health;

OSHA = Occupational Safety and Health Administration;

LC50 = Lethal concentration, 50%;

LD50 = Median lethal dose, 50%;

MARPOL = International Convention for the Prevention of Marine Pollution from Ships;

PBT = Persistent, Bioaccumulative and Toxic substance;

PNEC = Predicted No-Effect Concentration;

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;

SARA = Superfund Amendments and Reauthorization Act;

TLV®/TWA = Threshold limit value – time-weighted average; TLV®STEL = Threshold limit value – short-time exposure limit;

VOC = Volatile Organic Compounds;

vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings

power steering oil Article number 08972



Ferdinand Bilstein GmbH + Co. KG

Date printed 20.02.2024, Revision 20.02.2024


Version 12.0. Supersedes version: 10.0 Page 14 / 14

NFPA Ratings



TOP, FLAMMABILITY: 1 - Slight Hazard LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTIVITY: 0 - Minimal Hazard BOTTOM, SPECIAL NOTICE: None

HMIS Ratings



- 1 Slight Hazard
- 1 Slight Hazard
- 0 Minimal Hazard
- X Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

- A Safety Glasses
- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron
- D Face Shield, Gloves and Protection Apron
- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

Modified position

1.3, 2.2, 3.2, 6.1, 8.1, 8.2, 9.1, 11.1, 11.2, 12.6, 12.7, 15.1, 16.2, 16.3

bfe00049