

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**automatic transmission fluid (ATF)**  
**Article number: 14738, 29738, 194472**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Lubricant

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** Ferdinand Bilstein GmbH + Co. KG  
Wilhelmstr. 47  
58256 Ennepetal / GERMANY  
Phone +49 2333 911-0  
Fax +49 2333 911-444  
Homepage [www.febi.com](http://www.febi.com)  
E-mail [info@febi.com](mailto:info@febi.com)

#### Address enquiries to

**Technical information** [info@febi.com](mailto:info@febi.com)

**Safety Data Sheet** [info@febi.com](mailto:info@febi.com)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

No classification.

### 2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

**Hazard pictograms** None

**Hazard statements** None

**Precautionary statements** None

**Special labelling** EUH210 Safety data sheet available on request.

### 2.3 Other hazards

**Environmental hazards** Does not contain any PBT or vPvB substances.  
Contains no ingredients with endocrine-disrupting properties.

**Other hazards** No particular hazards known.

This product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200.

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

Not applicable

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 2 / 13

**3.2 Mixtures**

The product is a mixture.

Range [%]	Substance
1 - 10	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) CAS: 64742-54-7

**Comment on component parts** For full text of H-statements and R-phrases: see SECTION 16.  
Contains less than 3% w/w DMSO-extract (only for mineral oils)

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

<b>General information</b>	Change soaked clothing.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Get medical advice.

**4.2 Most important symptoms and effects, both acute and delayed**

No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Treat symptomatically.  
Forward this sheet to the doctor.

**SECTION 5: Fire-fighting measures**

**5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	Foam, dry powder, water spray jet, carbon dioxide
<b>Extinguishing media that must not be used</b>	Full water jet

**5.2 Special hazards arising from the substance or mixture**

Not combusted hydrocarbons.  
Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)  
Sulphur oxides (SO<sub>x</sub>).

**5.3 Advice for firefighters**

Use self-contained breathing apparatus.  
Do not inhale explosion and/or combustion gases.  
Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 3 / 13

**6.2 Environmental precautions**

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

**6.3 Methods and material for containment and cleaning up**

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance within the regulations.

**6.4 Reference to other sections**

See SECTION 8+13

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Avoid formation of aerosols.  
The product is combustible.  
Do not eat, drink or smoke when using this product.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Cloths contaminated with product should not be kept in trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Do not store together with oxidizing agents.  
Keep container tightly closed.  
Keep container in a well-ventilated place.  
Protect from heat/overheating.

**7.3 Specific end use(s)**

See product use, SECTION 1.2



**Ferdinand Bilstein GmbH + Co. KG**

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 4 / 13

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with occupational exposure limits to be monitored (US)**

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7
Long-term exposure: 5 mg/m <sup>3</sup> , OSHA, oil mist

**DNEL**

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day

**PNEC**

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg

**8.2 Exposure controls**

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. General limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	If there is a risk of splashing: safety glasses (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	light protective clothing
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Form	Liquid
Color	light yellow
Odor	characteristic
Odor threshold	Not applicable
pH-value	Not applicable
pH-value [1%]	Not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	234 (EN ISO 2592)
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	No
Vapor pressure/gas pressure [kPa]	No information available.
Density [g/cm <sup>3</sup> ]	0,85 (DIN 51 757) (15° )C
Relative density	Not determined
Bulk density [kg/m <sup>3</sup> ]	Not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	36 mm <sup>2</sup> /s (40° C)(DIN 51 562)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

The product is stable under standard conditions.

### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

### 10.4 Conditions to avoid

See SECTION 7.2.



**Ferdinand Bilstein GmbH + Co. KG**

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 6 / 13

### **10.5 Incompatible materials**

Strong oxidizing agent.  
strong acids  
Strong basic compounds

### **10.6 Hazardous decomposition products**

No hazardous decomposition products known.



**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute oral toxicity**

Product
oral, Based on the information available, the classification criteria have not been fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw

**Acute dermal toxicity**

Product
dermal, Based on the information available, the classification criteria have not been fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

**Acute inhalational toxicity**

Product
inhalative, Based on the information available, the classification criteria have not been fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

**Serious eye damage/irritation**

Toxicological data of complete product are not available.  
No classification.  
Calculation method

**Skin corrosion/irritation**

Toxicological data of complete product are not available.  
No classification.  
Calculation method

**Respiratory or skin sensitisation**

Toxicological data of complete product are not available.  
No classification.  
Calculation method

**Specific target organ toxicity — single exposure**

Based on the information available, the classification criteria have not been fulfilled.

**Specific target organ toxicity — repeated exposure**

Based on the information available, the classification criteria have not been fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air
LOAEL, oral, Rat, 125 mg/kg bw/day

**Mutagenicity**

Based on the information available, the classification criteria have not been fulfilled.

**Reproduction toxicity**

Based on the information available, the classification criteria have not been fulfilled.

**- Fertility**

Substance
-----------



**Ferdinand Bilstein GmbH + Co. KG**

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 8 / 13

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

**- Development**

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

**Carcinogenicity** Based on the information available, the classification criteria have not been fulfilled.  
**Aspiration hazard** Based on the information available, the classification criteria have not been fulfilled.  
**General remarks** Toxicological data of complete product are not available.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Product
Based on the information available, the classification criteria have not been fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L

**12.2 Persistence and degradability**

**Behaviour in environment compartments** Not determined  
**Behaviour in sewage plant** Not determined  
**Biological degradability** The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

**12.3 Bioaccumulative potential**

No information available.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

Based on all available information not to be classified as PBT or vPvB respectively.

**12.6 Endocrine disrupting properties**

Contains no ingredients with endocrine-disrupting properties.

**12.7 Other adverse effects**

Do not discharge product unmonitored into the environment.





**Ferdinand Bilstein GmbH + Co. KG**

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 9 / 13

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Product**

In according to RoHS!  
Coordinate disposal with the disposal contractor/authorities if necessary.

**Contaminated packaging**

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

**RCRA Hazard Class (40CFR 261)**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

**SECTION 14: Transport**

**14.1 UN number**

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

**14.2 UN proper shipping name**

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

DOT Road Shipment Information (49 CFR) Not applicable



**Ferdinand Bilstein GmbH + Co. KG**

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 10 / 13

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

**14.4 Packing group**

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

**14.5 Environmental hazards**

Transport by land according to ADR/RID No

Inland navigation (ADN) No

Marine transport in accordance with IMDG No

Air transport in accordance with IATA No

DOT Road Shipment Information (49 CFR) No

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

Not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 11 / 13

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### US Regulations

<b>National regulations</b>	29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65
- SARA, 302	No information available.
- SARA, 311	No information available.
- SARA, 313	No information available.
- TSCA	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.
- FDA	No information available.
<b>American Conference of Governmental Industrial Hygienists - ACGIH</b>	No information available.
<b>International Agency for Research on Cancer IARC</b>	No information available.
<b>National Toxicology Program - NTP</b>	No information available.
<b>HAP-VOC</b>	No information available.
<b>Transport-regulations</b>	DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

### 15.2 Chemical safety assessment

Not applicable

## SECTION 16: Other information

### 16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;  
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;  
CAS = Chemical Abstracts Service;  
CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;  
CFR = Code of Federal Regulations;  
CPR = Controlled Products Regulations;  
DMEL = Derived Minimum Effect Level;  
DNEL = Derived No Effect Level;  
DOT = Department of Transportation;  
EC50 = Median effective concentration;  
EPA = Environmental Protection Agency;  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals;  
IATA = International Air Transport Association;  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;  
IC50 = Inhibition concentration, 50%;  
IMDG = International Maritime Code for Dangerous Goods;  
IARC = International Agency of Research on Cancer;  
IATA = International Air Transport Association;  
TSCA = Toxic Substance Control Act;  
HMIS = Hazardous Materials Identification System;  
NFPA = National Fire Protection Association;  
NIOSH = National Institute for Occupational Safety and Health;  
OSHA = Occupational Safety and Health Administration;  
LC50 = Lethal concentration, 50%;  
LD50 = Median lethal dose, 50%;  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships;  
PBT = Persistent, Bioaccumulative and Toxic substance;  
PNEC = Predicted No-Effect Concentration;  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;  
SARA = Superfund Amendments and Reauthorization Act;  
TLV@/TWA = Threshold limit value – time-weighted average;  
TLV@STEL = Threshold limit value – short-time exposure limit;  
VOC = Volatile Organic Compounds;  
vPvB = very Persistent and very Bioaccumulative;

### 16.2 Ratings



**Ferdinand Bilstein GmbH + Co. KG**

Date printed 19.04.2024, Revision 13.03.2024

Version 13.1. Supersedes version: 13.0

Page 13 / 13

**NFPA Ratings**



TOP, FLAMMABILITY: 1 - Slight Hazard  
LEFT, HEALTH: 1 - Slight Hazard  
RIGHT, REACTIVITY: 1 - Slight Hazard  
BOTTOM, SPECIAL NOTICE:

**HMIS Ratings**

HEALTH	1	1 - Slight Hazard
FLAMMABILITY	1	1 - Slight Hazard
PHYSICAL HAZARD	1	1 - Slight Hazard
PERSONAL PROTECTION	X	X - Personal protection rating to be supplied by user depending on use conditions

**PERSONAL PROTECTION:**

- A - Safety Glasses
- B - Safety Glasses and Gloves
- C - Safety Glasses, Gloves and Protection Apron
- D - Face Shield, Gloves and Protection Apron
- E - Safety Glasses, Gloves and Dust Respirator
- F - Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G - Safety Glasses, Gloves and Vapor Respirator.
- H - Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I - Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J - Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K - Airline Mask or Hood, Gloves, Full Suit and Boots.
- X - Personal protection rating to be supplied by user depending on use conditions

**Modified position**

None