

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 1 / 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 177649 Engine Oil 0W - 20

Article number: 177649, 177650, 177651

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Engine oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 $\,$

(HCS 2012)

Hazard pictograms

Signal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Contains: Calcium sulfonate. EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 2 / 15

3.2 Mixtures

The product is a mixture.

Range [%]	Substance	
50 - < 100	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)	
	CAS: 64742-54-7	
1 - < 10	1-Decene, homopolymer, hydrogenated	
	CAS: 68037-01-4	
1 - < 5	Bis(nonylphenyl)amine	
	CAS: 36878-20-3	
1 - < 5	3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate	
	CAS: 125643-61-0	
0.1 - < 1	Calcium sulfonate	

Comment on component parts All chemical substances in this material are included on or exempted from listing on the

IECSC Inventory.

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

_

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of product entering the lungs.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx). Hydrogen sulfide ((H2S).

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 3 / 15

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Do not smoke.

Wash hands before breaks and after work.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed. Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 4 / 15

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

CAS: 64742-54-7

Long-term exposure: 5 mg/m³, OSHA, oil mist

1-Decene, homopolymer, hydrogenated

CAS: 68037-01-4

Long-term exposure: 5 mg/m³, OSHA PEL

DNEL

C.		
	bstance	

Bis(nonylphenyl)amine, CAS: 36878-20-3

Industrial, dermal, Long-term - systemic effects, 5 mg/kg bw/day

general population, dermal, Long-term - systemic effects, 2,5 mg/kg bw/day

general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m3

Industrial, inhalative, Long-term - local effects, 5.58 mg/m³

Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day

general population, inhalative, Long-term - local effects, 1.19 mg/m³

general population, oral, Long-term - systemic effects, 740 µg/kg bw/day

3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0

Industrial, inhalative, Long-term - systemic effects, 2.33 mg/m³

Industrial, inhalative, Acute - systemic effects, 1750 mg/m³

Industrial, dermal, Acute - systemic effects, 20 mg/kg bw/day

Industrial, dermal, Long-term - local effects, 6 µg/cm²

Industrial, dermal, Acute - local effects, 1 mg/cm²

Industrial, dermal, Long-term - systemic effects, 220 µg/kg bw/day

general population, inhalative, Long-term - systemic effects, 740 µg/m³

general population, inhalative, Acute - systemic effects, 875 mg/m³

general population, dermal, Long-term - systemic effects, 330 μg/kg bw/day

general population, dermal, Acute - local effects, 8.33 mg/cm²

general population, oral, Long-term - systemic effects, 160 µg/kg bw/day

general population, oral, Acute - systemic effects, 50 mg/kg bw/day

PNEC

Substance

Bis(nonylphenyl)amine, CAS: 36878-20-3

sediment (seawater), 0.1 mg/kg sediment dw

sediment (freshwater), 1 mg/kg sediment dw

seawater, 41.2 µg/L

freshwater, 412 µg/L

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

oral (food), 9,33 mg/kg

3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 5 / 15

oral (food), 41.33 mg/kg food

sediment (seawater), 37 - 23300 µg/kg sediment dw

soil, 50 - 189000 µg/kg soil dw

sediment (freshwater), 370 - 233000 µg/kg sediment dw

sewage treatment plants (STP), 1 - 100 mg/L

seawater, 30 - 1800 ng/L

freshwater, 4.3 - 30 µg/L

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,11 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 6 / 15

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Color green

Odor characteristic

Odor threshold No information available.

pH-value not applicable

pH-value [1%]Boiling point [°C]No information available.

Flash point [°C] 230

Flammability [°C] not applicable

Lower explosion limitNo information available.Upper explosion limitNo information available.

Oxidizing properties no

Vapor pressure/gas pressure [kPa]No information available.Density [g/cm³]0.84 (15 °C / 59,0 °F)Relative densitynot determinedBulk density [kg/m³]not applicableSolubility in watervirtually insoluble

Solubility other solvents

No information available.

Partition coefficient [n-octanol/water]

No information available.

Kinematic viscosity

42.3 mm²/s (40°C)

Relative vapour density

No information available.

Evaporation speed

No information available.

Melting point [°C]

Auto-ignition temperature

Decomposition temperature [°C]

Particle characteristics

No information available.

No information available.

No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 7 / 15

10.5 Incompatible materials

Oxidizing agent Acids Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021. Revision 09.09.2021

Version 01

Page 8 / 15

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

LD50, oral, Rat, >5000 mg/kg, no adverse effect observed

LD50, oral, Rat, 2000 - 5000 mg/kg bw

Bis(nonylphenyl)amine, CAS: 36878-20-3

LD50, oral, Rat, 5000 mg/kg bw

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, oral, Rat, 5000 mg/kg bw

3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0

LD50, oral, Rat, 500 - 2000 mg/kg bw

Acute dermal toxicity

Product

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

LD50, dermal, Rat, >2000 mg/kg bw, OECD 402

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0

LD50, dermal, Rat, 2000 mg/kg bw

Acute inhalational toxicity

Product

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

LC50, inhalative, Rat, >5.2 mg/L air, OECD 403, no adverse effect observed

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

OECD 404, non-irritating

Skin corrosion/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 9 / 15

OECD 405, non-irritating

Respiratory or skin sensitisation

May produce an allergic reaction.

Calculation method

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

non-sensitizing

Specific target organ toxicity — single exposure

Based on the information available, the classification criteria have not been fulfilled.

Specific target organ toxicity — repeated exposure

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

oral, Rat, no adverse effect observed

Bis(nonylphenyl)amine, CAS: 36878-20-3

NOEL, oral, Rat, 100 mg/kg bw/day

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m3 air

LOAEL, oral, Rat, 125 mg/kg bw/day

3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0

NOAEL, dermal, Rat, 500 - 1000 mg/kg bw/day

NOAEL, oral, Rat, 3 - 750 mg/kg bw/day

Mutagenicity

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

no adverse effect observed

Reproduction toxicity

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

No information available.

Carcinogenicity

Based on the information available, the classification criteria have not been fulfilled.

Substance

1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

No information available.

Aspiration hazard

Based on the information available, the classification criteria have not been fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 10 / 15

SECTION 12: Ecological information

12.1 Toxicity

Substance		
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4		
EL50, (48h), Invertebrates, >1000mg/L		
NOELR, (21d), Invertebrates, 125mg/L		
NOELR, (72h), Algae, 1000 mg/L		
LL50, (96h), fish, >1000mg/L		
Bis(nonylphenyl)amine, CAS: 36878-20-3		
EC50, (48h), Invertebrates, 100 mg/L		
EL50, (72h), Algae, 100 mg/L		
NOELR, (21d), Invertebrates, 4.45 mg/L		
NOELR, (33d), fish, 10 mg/L		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
EL50, (48h), Invertebrates, 10 g/L		
NOELR, (14d), fish, 1 mg/L		
LL50, (96h), Invertebrates, 10 g/L		
LL50, (96h), fish, 100 mg/L		
3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0		
LC50, (14d), fish, 100 mg/L		
EC50, (48h), Invertebrates, 8.2 - 1000000 μg		
EC50, (72h), Algae, 180 - 3000000 ng/L		
EC50, (3h), -, 100 - 1000 mg/L		
NOEC, (21d), Invertebrates, 10 µg/L		
NOEC, (33d), fish, 360 µg/L		

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant

Can be separated out mechanically in purification plants.

Biological degradability

The product is not readily biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 11 / 15

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

In according to RoHS!

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control

regulations. Consult your local or regional authorities.

SECTION 14: Transport

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

DOT Road Shipment Information (49 not applicable

CFR)

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS Inland navigation (ADN)

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

DOT Road Shipment Information (49 not applicable

CFR)

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01 Page 12 / 15

14.3 Transport hazard class(es)

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

Air transport in accordance with IATA not applicable

DOT Road Shipment Information (49 not applicable

CFR)

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

Air transport in accordance with IATA not applicable

DOT Road Shipment Information (49 not applicable

CFR)

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

no

Inland navigation (ADN)

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

DOT Road Shipment Information (49 no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 13 / 15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations 29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA,

TSCA, California - Prop. 65

- SARA, 302 This product does not contain any ingredients regulated under this list.

- SARA, 311 This product is not classified as hazardous under SARA 311.

- SARA, 313 This product does not contain any ingredients regulated under this list.

- CA Proposition 65 No chemical substances in this material are named on the California P65 list.

- TSCA All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory.

FDA No information available.
 American Conference of No information available.

Governmental Industrial Hygienists -

ACGIH

International Agency for Research on No information available.

Cancer IARC

National Toxicology Program - NTP No information available.

HAP-VOC not applicable

Transport-regulations DOT-Classification, ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

15.2 Chemical safety assessment

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01

Page 14 / 15

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;

CAS = Chemical Abstracts Service;

CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;

CFR = Code of Federal Regulations;

CPR = Controlled Products Regulations;

DMEL = Derived Minimum Effect Level;

DNEL = Derived No Effect Level;

DOT = Department of Transportation;

EC50 = Median effective concentration;

EPA = Environmental Protection Agency;

GHS = Globally Harmonized System of Classification and Labelling of Chemicals;

IATA = International Air Transport Association;

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk;

IC50 = Inhibition concentration, 50%;

IMDG = International Maritime Code for Dangerous Goods;

IARC = International Agency of Research on Cancer;

IATA = International Air Transport Association;

TSCA = Toxic Substance Control Act;

HMIS = Hazardous Materials Identification System;

NFPA = National Fire Protection Association;

NIOSH = National Institute for Occupational Safety and Health;

OSHA = Occupational Safety and Health Administration;

LC50 = Lethal concentration, 50%;

LD50 = Median lethal dose, 50%;

MARPOL = International Convention for the Prevention of Marine Pollution from Ships;

PBT = Persistent, Bioaccumulative and Toxic substance;

PNEC = Predicted No-Effect Concentration:

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;

SARA = Superfund Amendments and Reauthorization Act;

TLV®/TWA = Threshold limit value – time-weighted average; TLV®STEL = Threshold limit value – short-time exposure limit;

VOC = Volatile Organic Compounds;

vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings



Ferdinand Bilstein GmbH + Co. KG

Date printed 09.09.2021, Revision 09.09.2021

Version 01


Page 15 / 15

NFPA Ratings



TOP, FLAMMABILITY: 1 - Slight Hazard LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTIVITY: 0 - Minimal Hazard BOTTOM, SPECIAL NOTICE: -

HMIS Ratings



- 1 Slight Hazard
- 1 Slight Hazard
- 0 Minimal Hazard
- X Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

- A Safety Glasses
- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron
- D Face Shield, Gloves and Protection Apron
- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

Modified position

none