

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

antifreeze G12evo
Article number: 183366, 783366, 183367, 183368
UFI: ATTC-CHK4-C00T-9RFW

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H302 Harmful if swallowed.
STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word WARNING

Contains: Ethylene glycol

Hazard statements H302 Harmful if swallowed.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P260 Do not breathe vapours.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.
P314 Get medical advice / attention if you feel unwell.
P405 Store locked up.
P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024

Version 2.0. Supersedes version: 1.0

Page 2 / 14

2.3 Other hazards

Physico-chemical hazards	No particular hazards known.
Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
Environmental hazards	Contains no ingredients with endocrine-disrupting properties. Does not contain any PBT or vPvB substances.
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
60 - < 100	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
2,5 - < 5	Disodium sebacate
	CAS: 17265-14-4, EINECS/ELINCS: 241-300-3, Reg-No.: 01-2120762063-61-XXXX
	GHS/CLP: Eye Irrit. 2: H319
0,1 - <0,3	Methyl-1H-benzotriazole
	CAS: 29385-43-1, EINECS/ELINCS: 249-596-6, Reg-No.: 01-2119979081-35-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Repr. 2: H361d - Aquatic Chronic 2: H411

Comment on component parts For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Fire extinguishing method of surrounding areas must be considered. Carbon dioxide. Water spray jet. Dry powder. Foam.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.
Ensure adequate ventilation.
Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Take off contaminated clothing and wash before reuse.
Do not eat, drink or smoke when using this product.
Use barrier skin cream.
Wash hands before breaks and after work.
Contaminated work clothing should not be allowed out of the workplace.
Cloths contaminated with product should not be kept in trouser pockets.



7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Long-term exposure: 20 ppm, 52 mg/m ³ , Vapour, particulate: 10 mg/m ³
Short-term exposure (15-minute): 40 ppm, 104 mg/m ³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Eight hours: 20 ppm, 52 mg/m ³ , H
Short-term (15-minute): 40 ppm, 104 mg/m ³

DNEL

Substance
Methyl-1H-benzotriazole, CAS: 29385-43-1
Industrial, inhalative, Long-term - systemic effects, 21.2 mg/m ³
Industrial, dermal, Long-term - systemic effects, 300 µg/kg bw/day
general population, inhalative, Long-term - systemic effects, 350 µg/m ³
general population, dermal, Long-term - systemic effects, 10 µg/kg bw/day
general population, oral, Long-term - systemic effects, 10 µg/kg bw/day
Ethylene glycol, CAS: 107-21-1
Industrial, dermal, Long-term - systemic effects, 106 mg/m ³
Industrial, inhalative, Long-term - local effects, 35 mg/m ³
general population, inhalative, Long-term - local effects, 7 mg/m ³
general population, dermal, Long-term - systemic effects, 53 mg/m ³
Disodium sebacate, CAS: 17265-14-4
Industrial, inhalative, Long-term - systemic effects, 35.26 mg/m ³
Industrial, dermal, Long-term - systemic effects, 10 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 8.7 mg/m ³
general population, dermal, Long-term - systemic effects, 5 mg/kg bw/day
general population, oral, Long-term - systemic effects, 5 mg/kg bw/day

PNEC

Substance
Methyl-1H-benzotriazole, CAS: 29385-43-1
freshwater, 8 µg/L
seawater, 20 µg/L
sewage treatment plants (STP), 39.4 mg/L
sediment (freshwater), 117 µg/kg sediment dw
sediment (seawater), 292 µg/kg sediment dw
soil, 18.7 µg/kg soil dw
Ethylene glycol, CAS: 107-21-1
sediment (seawater), 3,7 mg/kg
sewage treatment plants (STP), 199,5 mg/l (AF=10)



Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024

Version 2.0. Supersedes version: 1.0

Page 6 / 14

soil, 1,53 mg/kg
sediment (freshwater), 37 mg/kg
seawater, 1 mg/L
freshwater, 10 mg/L
Disodium sebacate, CAS: 17265-14-4
freshwater, 0.018 mg/L
seawater, 0.002 mg/L
sewage treatment plants (STP), 10 mg/L
sediment (freshwater), 0.548 mg/kg sediment dw
sediment (seawater), 0.055 mg/kg sediment dw
soil, 0.099 mg/kg soil dw

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	green-yellow
Odor	characteristic
Odour threshold	No information available.
pH-value	~ 8,5 (ASTM D1287)
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	> 170 (ASTM D 1120)
Flash point [°C]	~ 125 (ASTM D-92)
Flammability	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm ³]	ca. 1,124 (ASTM D1122) (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	~ 25,6 mm ² /s (ASTM D-7042) (20°C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

Pour point: ~ -37°C (ASTM D1177) [1:1 H₂O]

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.



10.5 Incompatible materials

Oxidizing agent
Acids
Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity Based on the available information, the classification criteria are fulfilled.

Product
ATE-mix, oral, 523,8 mg/kg bw
Substance
Methyl-1H-benzotriazole, CAS: 29385-43-1
LD50, oral, Rat, 720 mg/kg (Lit.)
NOAEL, oral, Rat, 150 mg/kg bw/day
Ethylene glycol, CAS: 107-21-1
LD50, oral, Rat, 7712 mg/kg bw
ATE, oral, 500 mg/kg (Acute Tox. 4)
Disodium sebacate, CAS: 17265-14-4
LD50, oral, Rat, >5000 mg/kg
NOAEL, oral, Rat, 1000 mg/kg bw/day

Acute dermal toxicity Based on available data, the classification criteria are not met.

Product
ATE-mix, dermal, >2000 mg/kg bw
Substance
Methyl-1H-benzotriazole, CAS: 29385-43-1
LD50, dermal, Rat, > 2000 mg/kg
Ethylene glycol, CAS: 107-21-1
LD50, dermal, mouse, > 3500 mg/kg bw
Disodium sebacate, CAS: 17265-14-4
LD50, dermal, Rat, >2000 mg/kg bw

Acute inhalational toxicity Based on available data, the classification criteria are not met.

Product
ATE-mix, inhalation (vapour), >20 mg/L
Substance
Ethylene glycol, CAS: 107-21-1
LC50, inhalative, Rat, > 2,5 mg/L air, 6h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
Eye, Rabbit, In vivo study, non-irritating
Disodium sebacate, CAS: 17265-14-4
irritant

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1



Ferdinand Bilstein GmbH + Co. KG

Date printed 29.02.2024, Revision 29.02.2024

Version 2.0. Supersedes version: 1.0 Page 10 / 14

dermal, Rabbit, In vivo study, non-irritating
Disodium sebacate, CAS: 17265-14-4
no adverse effect observed

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
dermal, Guinea pig, In vivo study, non-sensitizing
Disodium sebacate, CAS: 17265-14-4
dermal, The effects observed are not sufficient for classification.

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure May cause damage to organs through prolonged or repeated exposure.

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, dermal, Dog, 2200 mg/kg bw/day, adverse effect observed
NOEL, oral, Rat, 150 mg/kg bw/day, OECD 408, adverse effect observed

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
in vitro, OECD 471, no adverse effect observed
Disodium sebacate, CAS: 17265-14-4
in vitro, negativ
in vivo, negativ

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, oral, Rat, > 1000 mg/kg bw/day, no adverse effect observed
Disodium sebacate, CAS: 17265-14-4
NOAEL, oral, Rat, > 500 mg/kg, no adverse effect observed

- Development

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, oral, Rat, 500 mg/kg bw/day, no adverse effect observed
Disodium sebacate, CAS: 17265-14-4
NOAEL, oral, Rat, > 500 mg/kg, no adverse effect observed

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, no adverse effect observed

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.
General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Methyl-1H-benzotriazole, CAS: 29385-43-1
LC50, (96h), fish, 55 - 180 mg/L
EC50, (48h), Invertebrates, 8.58 - 15.8 mg/L
EC50, (72h), Algae, 29 - 75 mg/L
NOEC, (21d), Invertebrates, 18.4 mg/L
Ethylene glycol, CAS: 107-21-1
LC50, (3d), fish, 72.86 g/L
LC50, (28d), fish, 1,5 g/L
EC50, (48h), Invertebrates, 100 mg/L
EC50, (21d), Invertebrates, 33,911 g/L
EC50, (4d), Invertebrates, 3,536 - 13 g/L
Disodium sebacate, CAS: 17265-14-4
LC50, (96h), Danio rerio, > 100 mg/L (OECD 203)
EC50, (48h), Daphnia magna, > 100 mg/L (OECD 202)
EL50, (72h), Skeletonema costatum, 38.7 mg/L (ISO 10253)

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant not determined

Biological degradability No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.
Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 160114*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances
150102
150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EG); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021

- **Comment on component parts** Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- **Annex I (REACH)** The product is not subject to Annex I restrictions.

- **Annex XIV (REACH)** According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.

- **Annex XVII (REACH)** According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions.
3

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- **Observe employment restrictions for people** Observe employment restrictions for young people.

- **VOC (2010/75/CE)** 0%

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.
H361d Suspected of damaging the unborn child.
H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.
H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@/TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)
STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Calculation method)

Modified position

1.3, 3.2, 5.1, 6.1, 8.1, 8.2, 9.1, 11.1, 11.2, 12.6, 12.7, 15.1, 16.2, 16.3