

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 1 / 18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Engine Oil SAE 0W-30 Longlife Plus
Article number: 194614, 194635, 194638, 195096, 195097, 195098

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Engine oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2024)

Hazard pictograms None

Signal word None

Hazard statements None

Precautionary statements None

Special labelling EUH210 Safety data sheet available on request.

Contains: C14-16-18 Alkyl phenol. EUH208 May produce an allergic reaction.

2.3 Other hazards

Environmental hazards Does not contain any PBT or vPvB substances.
Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

This product is classified as non-hazardous in accordance to OSHA Standard 29 CFR 1910.1200.

SECTION 3: Composition / Information on ingredients

3.1 Substances

Not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 2 / 18

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 50	1-Decene, homopolymer, hydrogenated CAS: 68037-01-4
20 - < 50	Distillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) CAS: 64742-54-7
1 - < 10	Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract) CAS: 64742-56-9
1 - < 10	Paraffin oils (petroleum), catalytic dewaxed heavy CAS: 64742-70-7
1 - < 10	Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extract) CAS: 64742-65-0
1 - < 10	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract) CAS: 72623-86-0
1 - < 10	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS: 72623-87-1
0,1 - <1	C14-16-18 Alkyl phenol CAS: 1190625-94-5

Comment on component parts

For full text of H-statements: see SECTION 16.
Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Seek medical advice immediately.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Headache

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 3 / 18

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.
Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.
Use only in well-ventilated areas.
The product is combustible.
Do not eat, drink or smoke when using this product.
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.
Contaminated work clothing should not be allowed out of the workplace.
Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Keep container in a well-ventilated place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 4 / 18

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7
Long-term exposure: 5 mg/m ³ , OSHA, oil mist
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
CAS: 72623-87-1
Long-term exposure: 5 mg/m ³ , ACGIH, TWA, Oil mist

DNEL

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5,58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5,58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, oral, Long-term - local effects, 740 µg/kg bw/day
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
There are no DNEL values established for the substance.
C14-16-18 Alkyl phenol, CAS: 1190625-94-5
Industrial, inhalative, Long-term - systemic effects, 1,17 mg/m ³
Industrial, dermal, Long-term - systemic effects, 300 µg/kg bw/d

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 5 / 18

Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day

PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
oral (food), 9,33 mg/kg food
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
oral (food), 9,33 mg/kg food
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
oral (food), 9.33 mg/kg food
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
There are no PNEC values established for the substance.
C14-16-18 Alkyl phenol, CAS: 1190625-94-5
freshwater, 100 µg/l
seawater, 10 µg/l
sewage treatment plants (STP), 100 mg/l
sediment (freshwater), 4266,16 mg/kg dw
sediment (seawater), 426,62 mg/kg dw
soil, 852,58 mg/kg dw
oral (food), 3,3 mg/kg
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
oral (food), 9.33 mg/kg food

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapors/aerosols. Avoid contact with eyes and skin.
Respiratory protection	No special measures necessary.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 6 / 18

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Form	Liquid
Color	amber colour
Odor	characteristic
Odor threshold	No information available.
pH-value	Not applicable
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	Not applicable
Flash point [°C]	238(EN ISO 2592)
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	No
Vapor pressure/gas pressure [kPa]	No information available.
Density [g/cm ³]	0,84 15°C (DIN 51757)
Relative density	Not determined
Bulk density [kg/m ³]	Not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	61,8 mm ² /s (40°C) (DIN 53211/4)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	Not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Strong heating.



Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 7 / 18

10.5 Incompatible materials

Oxidizing agent
Strong basic compounds
strong acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 8 / 18

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product
oral, Based on the information available, the classification criteria have not been fulfilled.
Substance
Distillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
LD50, oral, Rat, >5000 mg/kg bw (OECD 401)
NOAEL, oral, Rat, >1000 mg/kg bw (OECD 421)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LD50, oral, Rat, 5000 mg/kg bw
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
LD50, oral, Rat, 5000 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, 5000 mg/kg bw
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
LD50, oral, Rat, 2000 - 5000 mg/kg bw
NOAEL, oral, Rat, 1000 - 6771 mg/kg bw/day
C14-16-18 Alkyl phenol, CAS: 1190625-94-5
LD50, oral, Rat, >2000 mg/kg bw
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
LD50, oral, Rat, >5000 mg/kg bw
LOAEL, oral, Rat, 125 mg/kg bw/day

Acute dermal toxicity

Product
dermal, Based on the information available, the classification criteria have not been fulfilled.
Substance
Distillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
LD50, dermal, Rabbit, >5000 mg/kg bw (OECD 403)
NOAEL, dermal, Rat, >2000 mg/kg bw (OECD 414)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
LD50, dermal, Rat, 2000 mg/kg bw
C14-16-18 Alkyl phenol, CAS: 1190625-94-5



Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 9 / 18

LD50, dermal, Rat, >2000 mg/kg bw
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
LD10, dermal, Rabbit, >2000 mg/kg bw
NOAEL, dermal, Rabbit, >1000 mg/kg bw/day

Acute inhalational toxicity

Product
inhalative, Based on the information available, the classification criteria have not been fulfilled.

Substance
Distillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
LC50, inhalative, Rat, >5,53 mg/l air (OECD 403)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
LC50, inhalative, Rat, 900 - 5200 mg/m³ air
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
LC50, inhalative, Rat, 18 - 5.53 mg/L air, 4h
NOAEC, inhalative, Rat, 980 mg/m³ air

Serious eye damage/irritation Based on the information available, the classification criteria have not been fulfilled.

Substance
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
Eye, non-irritating
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Eye, non-irritating
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
Eye, non-irritating

Skin corrosion/irritation Based on the information available, the classification criteria have not been fulfilled.

Substance
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
dermal, non-irritating
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
dermal, non-irritating
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
dermal, non-irritating

Respiratory or skin sensitisation Based on the information available, the classification criteria have not been fulfilled.
May produce an allergic reaction.
Calculation method



Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 10 / 18

Substance
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
dermal, non-sensitizing
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
dermal, non-sensitizing
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
dermal, non-sensitizing

Specific target organ toxicity — single exposure — Based on the information available, the classification criteria have not been fulfilled.

Specific target organ toxicity — repeated exposure — Based on the information available, the classification criteria have not been fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
NOAEC, inhalative, Rat, 980 mg/m³, no adverse effect observed
LOAEL, oral, Rat, 125 mg/kg bw/day, adverse effect observed
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOAEL, inhalative, Rat, 980 mg/m³ air, no adverse effect observed
LOAEL, dermal, mouse, 100 mg/kg bw/day, The effects observed are not sufficient for classification.
LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity — Based on the information available, the classification criteria have not been fulfilled.

Substance
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
in vitro, negativ
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
in vitro, negativ
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
in vitro, negativ

Reproduction toxicity — Based on the information available, the classification criteria have not been fulfilled.

- Fertility

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7



Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 11 / 18

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, negativ
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
NOAEL, oral, Rat, 1000 mg/kg bw/day

- Development

Substance
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, negativ

Carcinogenicity

Based on the information available, the classification criteria have not been fulfilled.

Aspiration hazard

Based on the information available, the classification criteria have not been fulfilled.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 12 / 18

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the information available, the classification criteria have not been fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), Fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), Fish, 100 mg/L
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
EL50, (24h), Daphnia magna, >10000 mg/l (OECD 202)
LL50, (96h), Pimephales promelas, >100 mg/l (OECD 203)
NOEL, (21d), Daphnia magna, 10 mg/l (OECD 211)
NOEL, (72h), Pseudokirchneriella subcapitata, >100 mg/l (OECD 201)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOELR, (14d), Fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), Fish, 100 mg/L
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
NOELR, (14d), Fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), Fish, 100 mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOELR, (14d), Fish, 1 g/L
LL50, (4d), Invertebrates, 10 g/L
LL50, (4d), Fish, 100 mg/L
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
EL50, (48h), Invertebrates, 1 g/L
EL50, (48h), Algae, 1 g/L
LL50, (96h), Fish, 1 g/L
C14-16-18 Alkyl phenol, CAS: 1190625-94-5
LC50, (96h), Cyprinus carpio, >100 mg/l
EC50, (24h), Daphnia magna, >100 mg/l
EC50, (72h), Pseudokirchneriella subcapitata, >100 mg/l
NOEC, (72h), Pseudokirchneriella subcapitata, 100 mg/l
NOELR, (24h), Daphnia magna, >100 mg/l
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
NOELR, (14d), Fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), Fish, 100 mg/L



Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0 Page 13 / 18

12.2 Persistence and degradability

Behaviour in environment compartments	Not determined
Behaviour in sewage plant	Not determined
Biological degradability	Not determined

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

In according to RoHS!
Coordinate disposal with the authorities if necessary.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.



Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 14 / 18

SECTION 14: Transport

14.1 UN number

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

DOT Road Shipment Information (49 CFR) NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 15 / 18

14.4 Packing group

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID No

Inland navigation (ADN) No

Marine transport in accordance with IMDG No

Air transport in accordance with IATA No

DOT Road Shipment Information (49 CFR) No

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 16 / 18

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations

29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302

No information available.

- SARA, 311

No information available.

- SARA, 313

No information available.

- TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

- FDA

No information available.

American Conference of Governmental Industrial Hygienists - ACGIH

Ingredients not listed as carcinogens.

International Agency for Research on Cancer IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

National Toxicology Program - NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

HAP-VOC

No information available.

Transport-regulations

DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;
CAS = Chemical Abstracts Service;
CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;
CFR = Code of Federal Regulations;
CPR = Controlled Products Regulations;
DMEL = Derived Minimum Effect Level;
DNEL = Derived No Effect Level;
DOT = Department of Transportation;
EC50 = Median effective concentration;
EPA = Environmental Protection Agency;
GHS = Globally Harmonized System of Classification and Labelling of Chemicals;
IATA = International Air Transport Association;
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IC50 = Inhibition concentration, 50%;
IMDG = International Maritime Code for Dangerous Goods;
IARC = International Agency of Research on Cancer;
IATA = International Air Transport Association;
TSCA = Toxic Substance Control Act;
HMIS = Hazardous Materials Identification System;
NFPA = National Fire Protection Association;
NIOSH = National Institute for Occupational Safety and Health;
OSHA = Occupational Safety and Health Administration;
LC50 = Lethal concentration, 50%;
LD50 = Median lethal dose, 50%;
MARPOL = International Convention for the Prevention of Marine Pollution from Ships;
PBT = Persistent, Bioaccumulative and Toxic substance;
PNEC = Predicted No-Effect Concentration;
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;
SARA = Superfund Amendments and Reauthorization Act;
TLV@TWA = Threshold limit value – time-weighted average;
TLV@STEL = Threshold limit value – short-time exposure limit;
VOC = Volatile Organic Compounds;
vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.08.2024, Revision 07.08.2024

Version 1.0

Page 18 / 18

NFPA Ratings



TOP, FLAMMABILITY: 1 - Slight Hazard
LEFT, HEALTH: 1 - Slight Hazard
RIGHT, REACTIVITY: 1 - Slight Hazard
BOTTOM, SPECIAL NOTICE:

HMIS Ratings

HEALTH	1	1 - Slight Hazard
FLAMMABILITY	1	1 - Slight Hazard
PHYSICAL HAZARD	1	1 - Slight Hazard
PERSONAL PROTECTION	X	X - Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

- A - Safety Glasses
- B - Safety Glasses and Gloves
- C - Safety Glasses, Gloves and Protection Apron
- D - Face Shield, Gloves and Protection Apron
- E - Safety Glasses, Gloves and Dust Respirator
- F - Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G - Safety Glasses, Gloves and Vapor Respirator.
- H - Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I - Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J - Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K - Airline Mask or Hood, Gloves, Full Suit and Boots.
- X - Personal protection rating to be supplied by user depending on use conditions

Modified position

None