

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

brake fluid DOT 4
Article number: 26746, 26461, 21754,180588

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

brake fluid

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2: H319 Causes serious eye irritation.
Repr. 2: H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

Hazard pictograms



Signal word

WARNING

Contains:

Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0

Hazard statements

H319 Causes serious eye irritation.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container to in accordance with local/regional/national/international regulation.



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 2 / 17

2.3 Other hazards

Physico-chemical hazards	Material will burn in fire.
Human health dangers	Contains no ingredients with endocrine-disrupting properties.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	None
	This product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200.

SECTION 3: Composition / Information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
25 - 40	2-(2-(2-Butoxyethoxy)ethoxy)ethanol CAS: 143-22-6
15 - 25	Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate CAS: 30989-05-0
5 - 10	Diethylen glycol CAS: 111-46-6
1 - 3	2-(2-Butoxyethoxy)ethanol CAS: 112-34-5
< 1	2-(2-Methoxyethoxy)ethanol CAS: 111-77-3

Comment on component parts For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.
Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Use personal protective equipment.
The product is combustible.
Do not eat, drink or smoke when using this product.
Use barrier skin cream.
Wash hands before breaks and after work.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with oxidizing agents.
Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating.
Keep in a cool place. Store in a dry place.
Recommended storage temperature: 15 - 30°C



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 4 / 17

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 5 / 17

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Not applicable

DNEL

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
Industrial, inhalative, Long-term - local effects, 67,5 mg/m ³
Industrial, inhalative, Acute - local effects, 101,2 mg/m ³
general population, oral, Long-term - systemic effects, 6,25 mg/kg bw/day
Diethylen glycol, CAS: 111-46-6
Industrial, inhalative, Long-term - systemic effects, 44 mg/m ³
Industrial, inhalative, Acute - local effects, 60 mg/m ³
Industrial, dermal, Long-term - systemic effects, 43 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 12 mg/m ³
general population, inhalative, Acute - local effects, 12 mg/m ³
general population, dermal, Long-term - systemic effects, 21 mg/kg bw/day
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
Industrial, inhalative, Long-term - systemic effects, 24 mg/m ³
Industrial, inhalative, Acute - systemic effects, 96 mg/m ³
Industrial, inhalative, Long-term - local effects, 30,5 mg/m ³
Industrial, inhalative, Acute - local effects, 96 mg/m ³
Industrial, dermal, Long-term - systemic effects, 1005 mg/kg bw/day
Industrial, dermal, Acute - systemic effects, 400 mg/kg bw/day
Industrial, dermal, Long-term - local effects, 5,65 mg/cm ²
Industrial, dermal, Acute - local effects, 8,35 mg/cm ²
general population, inhalative, Long-term - systemic effects, 12 mg/m ³
general population, inhalative, Acute - systemic effects, 48 mg/m ³
general population, inhalative, Long-term - local effects, 15,252 mg/m ³
general population, inhalative, Acute - local effects, 48 mg/m ³
general population, dermal, Long-term - systemic effects, 125 mg/kg bw/day
general population, dermal, Acute - systemic effects, 200 mg/kg bw/day
general population, dermal, Long-term - local effects, 2,823 mg/cm ²
general population, dermal, Acute - local effects, 4,173 mg/cm ²
general population, oral, Long-term - systemic effects, 12,5 mg/kg bw/day
general population, oral, Acute - systemic effects, 103,4 mg/kg bw/day
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
Industrial, inhalative, Long-term - systemic effects, 50,1 mg/m ³
Industrial, dermal, Long-term - systemic effects, 2,22 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 30,1 mg/m ³
general population, dermal, Long-term - systemic effects, 1,33 mg/kg bw/day
general population, oral, Long-term - systemic effects, 7,5 mg/kg bw/day
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
Industrial, inhalative, Long-term - systemic effects, 14.8 mg/m ³ (AF=25)
Industrial, dermal, Long-term - systemic effects, 4.2 mg/kg bw/d (AF=100)
general population, inhalative, Long-term - systemic effects, 2.6 mg/m ³ (AF=50)



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 6 / 17

PNEC

general population, dermal, Long-term - systemic effects, 1.5 mg/kg bw/d (AF=200)
general population, oral, Long-term - systemic effects, 1.5 mg/kg bw/d (AF=200)
Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
oral (food), 56 mg/kg food
freshwater, 1,1 mg/L
seawater, 110 µg/L
sediment (freshwater), 4,4 mg/kg sediment dw
sediment (seawater), 440 µg/kg sediment dw
soil, 320 µg/kg soil dw
Diethylen glycol, CAS: 111-46-6
freshwater, 10 mg/L
seawater, 1 mg/L
sediment (freshwater), 20,9 mg/kg
soil, 1,53 mg/kg
sewage treatment plants (STP), 199,5 mg/L
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
freshwater, 2 - 100 mg/L
seawater, 200 - 142570 µg/L
sewage treatment plants (STP), 199,5 - 200 mg/L
sediment (freshwater), 7,7 - 11,115 mg/kg sediment dw
sediment (seawater), 770 - 1111,5 µg/kg sediment dw
soil, 470 - 11510 µg/kg soil dw
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
freshwater, 12 mg/L
seawater, 1,2 mg/L
sewage treatment plants (STP), 10000 mg/L
sediment (freshwater), 44,4 mg/kg sediment dw
sediment (seawater), 0,44 mg/kg sediment dw
terrestrial, 2,1 mg/kg
oral (food), 0,09 g/kg
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
There are no PNEC values established for the substance.



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 7 / 17

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Oil-resistant protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapors.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	None
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Form	Liquid
Color	amber colour
Odor	mild
Odor threshold	Not applicable
pH-value	7 - 10.5
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	> 260
Flash point [°C]	> 100
Flammability	No
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	No
Vapor pressure/gas pressure [kPa]	0.1
Density [g/cm³]	1.02 - 1.07 (20 °C / 68,0 °F)
Relative density	Not determined
Bulk density [kg/m³]	Not applicable
Solubility in water	Miscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	1.5
Kinematic viscosity	ca. 5 - 10 cSt (20°C)
Relative vapour density	No information available.
Melting point [°C]	< -50
Auto-ignition temperature [°C]	> 280
Decomposition temperature [°C]	300
Particle characteristics	Not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 8 / 17

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.
The product is hygroscopic.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).
Decomposes begins at ca. 300 °C.

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Sensitive to moisture

10.6 Hazardous decomposition products

No hazardous decomposition products known.



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product
ATE-mix, Rat, > 5000 mg/kg bw
Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LD50, oral, mouse, 2410 - 5530 mg/kg bw
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
LD50, oral, Rat, 5000 - 11300 mg/kg bw
LD0, oral, Rat, 5 mL/kg bw
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
LD50, oral, Rat, 7128 mg/kg
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
LD50, oral, Rat, > 2000 mg/kg bw, OECD 401

Acute dermal toxicity

Product
ATE-mix, Rabbit, > 3000 mg/kg bw
Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LD50, dermal, Rabbit, 2764 mg/kg bw
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
LC50, dermal, Rabbit, 3540 mg/kg bw
LDLo, dermal, Rabbit, 2000 mg/kg bw
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
LD50, dermal, Rabbit, 9404 mg/kg
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
LD50, dermal, Rat, > 2000 mg/kg bw

Acute inhalational toxicity

Product
Based on the information available, the classification criteria have not been fulfilled.
Substance
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
LC50, inhalative, Rat, 2,4 mg/L air
LCLO, inhalative, Rat, 1,2 mg/L air, 8h
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
LC0, inhalativ (vapor), Rat, > 1,2 mg/l 6h

Serious eye damage/irritation

Based on the information available, the classification criteria have been fulfilled.
Irritant
On basis of test data

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 10 / 17

Eye, irritant
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
Eye, adverse effect observed
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
Eye, non-irritating
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
Eye, non-irritating

Skin corrosion/irritation Based on the information available, the classification criteria have not been fulfilled.

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
dermal, Rabbit, OECD 404, non-irritating
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
dermal, non-irritating
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
dermal, non-irritating
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
dermal, non-irritating

Respiratory or skin sensitisation Based on the information available, the classification criteria have not been fulfilled.

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
dermal, Guinea pig, OECD 406, non-sensitizing
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
dermal, non-sensitizing
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
dermal, non-sensitizing
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
dermal, non-sensitizing

Specific target organ toxicity — single exposure Based on the information available, the classification criteria have not been fulfilled.

Specific target organ toxicity — repeated exposure Based on the information available, the classification criteria have not been fulfilled.

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
NOAEL, oral, Rat, 250 mg/kg bw/day, The effects observed are not sufficient for classification.
NOAEC, inhalative, 94 mg/m ³ , The effects observed are not sufficient for classification.
Diethylen glycol, CAS: 111-46-6
NOAEL, oral, Rat, 128 - 936 mg/kg bw/day
NOAEL, dermal, dogs, 2220 - 4440 mg/kg bw/day
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
NOAEL, oral, Rat, 500 mg/kg bw/day
NOAEL, dermal, Rat, 5000 mg/kg bw/day
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
NOAEL, oral, Rat, 1000 mg/kg bw/day

Mutagenicity Based on the information available, the classification criteria have not been fulfilled.



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 11 / 17

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
oral, mouse, In vivo study, negativ
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
in vitro, negativ
in vivo, negativ
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
in vitro, negativ

Reproduction toxicity Suspected of damaging the unborn child.
Suspected of damaging fertility.
The classification occurred based on substance-specific concentration limits.
Calculation method

- Fertility

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
NOAEL, oral, Rat, > 1000 mg/kg bw/day, no adverse effect observed
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
NOAEL, oral, 200 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity,
NOAEL, dermal, Rabbit, 50 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity,

- Development

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
NOAEL, oral, Rat, > 633 mg/kg bw/day, no adverse effect observed
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
NOAEL, oral, 200 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity,
NOAEL, dermal, Rabbit, 50 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity,
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
NOAEL, oral, Rabbit, 250 mg/kg bw/day, adverse effect observed

Carcinogenicity Based on the information available, the classification criteria have not been fulfilled.

Aspiration hazard Based on the information available, the classification criteria have not been fulfilled.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

Substance
2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5
LC50, (96h), fish, 1,3 g/L
EC50, (48h), Invertebrates, 100 mg/L
EC50, (4d), Algae, 100 mg/L
Diethylen glycol, CAS: 111-46-6
LC50, (96h), fish, 75.2 g/L
LC50, (28d), fish, 1.5 g/L
EC50, (24h), Invertebrates, 10 g/L
EC50, (21d), Invertebrates, 33.911 g/L
EC50, (4d), Algae, 6.5 - 13 g/L
2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6
LC50, (96h), fish, 2,182 - 14,257 g/L
LC50, (48h), fish, 2,4 g/L
LC50, (24h), fish, 2,4 - 2,967 g/L
EC50, (21d), Invertebrates, 518,3 mg/L
EC50, (72h), Algae, 500 - 3211 mg/L
LC0, (96h), fish, 2,15 g/L
NOEC, (72h), Algae, 62,5 - 499 mg/L
NOEC, (21d), fish, 174,6 mg/L
NOEC, (21d), Invertebrates, 97,7 - 174,6 mg/L
LC100, (96h), fish, 4,6 g/L
EC10, (72h), Algae, 151 - 1185 mg/L
EC10, (21d), Invertebrates, 233,9 - 235,6 mg/L
EC20, (72h), Algae, 270 - 364 mg/L
2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3
LC50, (96h), Pimephales promelas, 5741 mg/L
EC50, (96h), Pseudokirchneriella subcapitata, > 1000 mg/L
EC50, (48h), Daphnia magna, 1192 mg/L
Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0
LC50, (48h), Oncorhynchus mykiss, > 222,2 mg/L
EC50, (24h), Daphnia magna, > 211,2 mg/L
EC50, (72h), Algae, > 224,4 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 13 / 17

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

In according to RoHS!
Coordinate disposal with the disposal contractor/authorities if necessary.

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Untamminated packaging may be taken for recycling.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

SECTION 14: Transport

14.1 UN number

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 14 / 17

14.2 UN proper shipping name

- Transport by land according to ADR/RID NO DANGEROUS GOODS
- Inland navigation (ADN) NO DANGEROUS GOODS
- Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"
- Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"
- DOT Road Shipment Information (49 CFR) Not applicable

14.3 Transport hazard class(es)

- Transport by land according to ADR/RID Not applicable
- Inland navigation (ADN) Not applicable
- Marine transport in accordance with IMDG Not applicable
- Air transport in accordance with IATA Not applicable
- DOT Road Shipment Information (49 CFR) Not applicable

14.4 Packing group

- Transport by land according to ADR/RID Not applicable
- Inland navigation (ADN) Not applicable
- Marine transport in accordance with IMDG Not applicable
- Air transport in accordance with IATA Not applicable
- DOT Road Shipment Information (49 CFR) Not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 15 / 17

14.5 Environmental hazards

Transport by land according to ADR/RID No

Inland navigation (ADN) No

Marine transport in accordance with IMDG No

Air transport in accordance with IATA No

DOT Road Shipment Information (49 CFR) No

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations 29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302 This product does not contain any ingredients regulated under this list.

- SARA, 311 This product is classified as hazardous under SARA 311 - Delayed .

- SARA, 313 CAS 143-22-6 This product contain one ingredient regulated under this list.

- CA Proposition 65 No components require labeling under California Proposition 65.

No chemical substances in this material are named on the California P65 list.

- TSCA All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

- FDA

American Conference of Governmental Industrial Hygienists - ACGIH Does not contain any relevant substances fulfilling the classification criteria.

International Agency for Research on Cancer IARC Does not contain any relevant substances fulfilling the classification criteria.

National Toxicology Program - NTP CAS 112-34-5; CAS 111-77-3 is named in the NTP - National Toxicology Program.

HAP-VOC No information available.

Transport-regulations DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;
CAS = Chemical Abstracts Service;
CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;
CFR = Code of Federal Regulations;
CPR = Controlled Products Regulations;
DMEL = Derived Minimum Effect Level;
DNEL = Derived No Effect Level;
DOT = Department of Transportation;
EC50 = Median effective concentration;
EPA = Environmental Protection Agency;
GHS = Globally Harmonized System of Classification and Labelling of Chemicals;
IATA = International Air Transport Association;
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IC50 = Inhibition concentration, 50%;
IMDG = International Maritime Code for Dangerous Goods;
IARC = International Agency of Research on Cancer;
IATA = International Air Transport Association;
TSCA = Toxic Substance Control Act;
HMIS = Hazardous Materials Identification System;
NFPA = National Fire Protection Association;
NIOSH = National Institute for Occupational Safety and Health;
OSHA = Occupational Safety and Health Administration;
LC50 = Lethal concentration, 50%;
LD50 = Median lethal dose, 50%;
MARPOL = International Convention for the Prevention of Marine Pollution from Ships;
PBT = Persistent, Bioaccumulative and Toxic substance;
PNEC = Predicted No-Effect Concentration;
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;
SARA = Superfund Amendments and Reauthorization Act;
TLV@TWA = Threshold limit value – time-weighted average;
TLV@STEL = Threshold limit value – short-time exposure limit;
VOC = Volatile Organic Compounds;
vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 17 / 17

NFPA Ratings



TOP, FLAMMABILITY: 1 - Slight Hazard
LEFT, HEALTH: 2 - Moderate Hazard
RIGHT, REACTIVITY: 1 - Slight Hazard
BOTTOM, SPECIAL NOTICE: 20.NFPA.X0

HMIS Ratings

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	1
PERSONAL PROTECTION	X

2*- Moderate chronic Hazard
1 - Slight Hazard
1 - Slight Hazard
X - Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

- A - Safety Glasses
- B - Safety Glasses and Gloves
- C - Safety Glasses, Gloves and Protection Apron
- D - Face Shield, Gloves and Protection Apron
- E - Safety Glasses, Gloves and Dust Respirator
- F - Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G - Safety Glasses, Gloves and Vapor Respirator.
- H - Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I - Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J - Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K - Airline Mask or Hood, Gloves, Full Suit and Boots.
- X - Personal protection rating to be supplied by user depending on use conditions

Modified position

1.3, 2.3, 3.2, 4.2, 5.2, 7.1, 8.1, 9.1, 11.1, 11.2, 12.3, 12.6, 12.7, 15.1, 16.2, 16.3