

Date printed 26.04.2024, Revision 25.04.2024

Duit	pinited 20.04.2024, Nevision 23.04.2024	Version 13.0. Superseues version. 11.0 Fage 1/13
SEC	TION 1: Identification of the subst	ance/mixture and of the company/undertaking
1.1	Product identifier	
		CVT - Gear oil
		Article number: 27975, 193916
1.2	Relevant identified uses of the su	ubstance or mixture and uses advised against
1.2.1	Relevant uses	
		See product information.
1.2.2	2 Uses advised against	
		None known.
1.3	Details of the supplier of the safe	etv data sheet
	Company	Ferdinand Bilstein GmbH + Co. KG
		Wilhelmstr. 47 58256 Ennepetal / GERMANY
		Phone +49 2333 911-0
		Fax +49 2333 911-444 Homepage www.febi.com
		E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	sdb@chemiebuero.de (No dispatch of safety data sheets)
		Safety data sheets are available from the supplier.
1.4	Emergency telephone number	
SEC	TION 2: Hazards identification	
2.1	Classification of the substance o	r mixture
		No classification.
2.2	Label elements	
		The product does not require a hazard in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)
	Hazard pictograms	None
	Signal word	None
	Hazard statements	None
	Precautionary statements	None
	Special labelling	EUH210 Safety data sheet available on request.
2.3	Other hazards	
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
	Environmental hazards	Does not contain any PBT or vPvB substances.
		Contains no ingredients with endocrine-disrupting properties.
	Other hazards	Further hazards were not determined with the current level of knowledge.
SEC	TION 3: Composition / Information	n on ingredients

3.1 Substances

Not applicable

Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0 Page 2 / 15

3.2 Mixtures

Range [%]	Substance
50 - 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1
1 - < 10	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8
1 - < 10	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7
1 - < 5	Bis(nonylphenyl)amine
	CAS: 36878-20-3

Comment on component parts	For full text of H-statements and R-phrases: see SECTION 16.	
	Contains less than 3% w/w DMSO-extract (only for mineral oils)	

SECTION 4: First aid measures

4.1 Description of first aid measures General information Change soaked clothing.

Ensure supply of fresh air. In the event of symptoms seek medical treatment.
When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs. Treat symptomatically. Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media Suitable extinguishing media Extinguishing media that must not be used Suitable extinguishing media that must not be used

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Date printed 26.04.2024, Revision 25.04.2024

SECTION 6: Accidental release measures			
6.1 Personal precautions, protective equipment and emergency procedures			
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.	
6.2	Environmental precautions		
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3 Methods and material for containment and cleaning up			
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.	
6.4 Reference to other sections			
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		No special measures necessary if used correctly.	
		The product is combustible.	
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets.	
7.2	Conditions for safe storage, inclu	iding any incompatibilities	
		Keep only in original container. Prevent penetration into the ground.	
		Do not store together with food and animal food/diet.	

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

bilsteir

Version 13.0. Supersedes version: 11.0 Page 3 / 15





Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0

Page 4 / 15

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	
CAS: 72623-87-1	
Long-term exposure: 5 mg/m ³ , ACGIH, TWA, Oil mist	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)	
CAS: 64742-54-7	
Long-term exposure: 5 mg/m ³ , OSHA, oil mist	
Distillates (petroleum), hydrotreated light paraffinic	
CAS: 64742-55-8	
Long-term exposure: 10 mg/m ³ , TWA: mist & aerosol	

DNEL

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
Industrial, dermal, Long-term - systemic effects, 5 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 2,5 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5,58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
general population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day

PNEC

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
freshwater, 412 µg/L
seawater, 41.2 µg/L
sediment (freshwater), 1 mg/kg sediment dw
sediment (seawater), 0.1 mg/kg sediment dw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8



Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0

Page 5 / 15

oral (food), 9,33 mg/kg food
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0

Page 6 / 15

SECTION 9: Physical and chemical properties

9.1	0.1 Information on basic physical and chemical propert	
	Physical state	Liquid
	Form	Liquid
	Color	amber colour
	Odor	characteristic
	Odor threshold	Not applicable
	pH-value	Not applicable
	pH-value [1%]	Not applicable
	Boiling point or initial boiling point and boiling range [°C]	No information available.

Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	208
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	No
Vapor pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,85 (DIN 51757) (15 °C / 59,0 °F)
Relative density	Not determined
Bulk density [kg/m³]	Not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	34 mm²/s (DIN 51562)(40°C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.
Other information	

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.



Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0 Page 7 / 15

10.5 Incompatible materials

Oxidizing agent Strong basic compounds strong acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 26.04.2024, Revision 25.04.2024

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
LD50, oral, Rat, 5000 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
LD50, oral, Rat, 5000 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, 5000 mg/kg bw

Acute dermal toxicity

Product ATE-mix, dermal, 63 257 mg/kg bw

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Based on the information available, the classification criteria have not been fulfilled.

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Eye, non-irritating

Skin corrosion/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
dermal, non-irritating

Respiratory or skin sensitisation

Toxicological data of complete product are not available. May produce an allergic reaction. Calculation method

Substance



Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0 Page 9 / 15

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
dermal, non-sensitizing	

Specific target organ toxicity -Based on the information available, the classification criteria have not been fulfilled.

single exposure	
-----------------	--

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
inhalative, no adverse effect observed

Specific target organ toxicity -Based on the information available, the classification criteria have not been fulfilled. repeated exposure

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
NOEL, oral, Rat, 100 mg/kg bw/day
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOAEC, inhalative, Rat, 980 mg/m ³ (subacute), no adverse effect observed
LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.
LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification. Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the information available, the classification criteria have not been fulfilled.

Substance	
Distillates (pe	etroleum), hydrotreated light paraffinic, CAS: 64742-55-8
in vitro, nega	ativ

Reproduction toxicity

Based on the information available, the classification criteria have not been fulfilled.

- Fertility

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

- Development

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Based on the information available, the classification criteria have not been fulfilled. Based on the information available, the classification criteria have not been fulfilled.



Date printed 26.04.2024, Revision 25.04.2024

General remarks

Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

0.1.1.1
Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
EC50, (48h), Invertebrates, 100 mg/L
EL50, (72h), Algae, 100 mg/L
NOELR, (21d), Invertebrates, 4.45 mg/L
NOELR, (33d), fish, 10 mg/L
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOELR, (14d), fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOELR, (14d), fish, 1 g/L
LL50, (4d), Invertebrates, 10 g/L
LL50, (4d), fish, 100 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	Not determined
Behaviour in sewage plant	Not determined
Biological degradability	Not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) CVT - Gear oil Article number 27975, 193916



Ferdinand Bilstein GmbH + Co. KG

Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0 Page 11 / 15

SEC	SECTION 13: Disposal considerations					
13.1	Waste treatment methods					
	Product					
		In according to RoHS! For recycling, consult manufacturer.				
		Disposal in an incineration plant in accordance with the regulations of the local authorities.				
	Contaminated packaging					
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.				
	RCRA Hazard Class (40CFR 261)					
	, , , , , , , , , , , , , , , , , , ,					
SEC	TION 14: Transport					
14.1	UN number					
	Transport by land according to ADR/RID	Not applicable				
	Inland navigation (ADN)	Not applicable				
	Marine transport in accordance with	Not applicable				
	IMDG					
	Air transport in accordance with IATA	Not applicable				
	DOT Road Shipment Information (49 CFR)	Not applicable				
14.2	.2 UN proper shipping name					
	Transport by land according to ADR/RID	NO DANGEROUS GOODS				
	Inland navigation (ADN)	NO DANGEROUS GOODS				
	Marine transport in accordance with	NOT CLASSIFIED AS "DANGEROUS GOODS"				
	IMDG					
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"				
	DOT Road Shipment Information (49 CFR)	Not applicable				
	,					



Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0	Page 12 / 15
--	--------------

14.3	Transport hazard class(es) Transport by land according to ADR/RID	Not applicable
	Inland navigation (ADN)	Not applicable
	Marine transport in accordance with IMDG	Not applicable
	Air transport in accordance with IATA	Not applicable
	DOT Road Shipment Information (49 CFR)	Not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	Not applicable
	Inland navigation (ADN)	Not applicable
	Marine transport in accordance with IMDG	Not applicable
	Air transport in accordance with IATA	Not applicable
	DOT Road Shipment Information (49 CFR)	Not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	No
	Inland navigation (ADN)	No
	Marine transport in accordance with IMDG	No
	Air transport in accordance with IATA	No
	DOT Road Shipment Information (49 CFR)	No
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) CVT - Gear oil Article number 27975, 193916



Ferdinand Bilstein GmbH + Co. KG

Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0 Page 13 / 15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations

29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302
- SARA, 311
- SARA, 313
- TSCA
- FDA

 American Conference of Governmental Industrial Hygienists -ACGIH
International Agency for Research on Cancer IARC
National Toxicology Program - NTP
HAP-VOC
Transport-regulations
DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)
15.2 Chemical safety assessment

Date printed 26.04.2024, Revision 25.04.2024

Version 13.0. Supersedes version: 11.0 Page 14 / 15

bilstein

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists; ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route; RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses; ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure: CAS = Chemical Abstracts Service; CERCLA = Comprehensive Environmental Response, Compensation and Liability Act; CFR = Code of Federal Regulations; CPR = Controlled Products Regulations; DMEL = Derived Minimum Effect Level; DNEL = Derived No Effect Level; DOT = Department of Transportation; EC50 = Median effective concentration; EPA = Environmental Protection Agency; GHS = Globally Harmonized System of Classification and Labelling of Chemicals; IATA = International Air Transport Association; IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 = Inhibition concentration, 50%; IMDG = International Maritime Code for Dangerous Goods; IARC = International Agency of Research on Cancer; IATA = International Air Transport Association; TSCA = Toxic Substance Control Act; HMIS = Hazardous Materials Identification System; NFPA = National Fire Protection Association; NIOSH = National Institute for Occupational Safety and Health; OSHA = Occupational Safety and Health Administration; LC50 = Lethal concentration, 50%; LD50 = Median lethal dose, 50%; MARPOL = International Convention for the Prevention of Marine Pollution from Ships; PBT = Persistent, Bioaccumulative and Toxic substance; PNEC = Predicted No-Effect Concentration; REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals; SARA = Superfund Amendments and Reauthorization Act; VOC = Volatile Organic Compounds; vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings

Date printed 26.04.2024, Revision 25.04.2024



Version 13.0. Supersedes version: 11.0 Page 15 / 15

NFPA Ratings

TOP, FLAMMABILITY: LEFT, HEALTH: RIGHT, REACTIVITY: BOTTOM, SPECIAL NOTICE:

HMIS Ratings

HEALTH
FLAMMABILITY
PHYSICAL HAZARD

PERSONAL PROTECTION:

- A Safety Glasses
- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron
- D Face Shield, Gloves and Protection Apron
- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

Modified position

1.2, 3.2