automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 1 / 15

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

automatic transmission fluid (ATF) Article number: 32600, 32605, 194470

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1 2 1 Relevant uses

Lubricant

### 1.2.2 Uses advised against

None known.

## 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200

(HCS 2012)

**Hazard pictograms** 

**Hazard statements** H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.

P501 Dispose of contents/container to approved disposal company or municipal collection

point.

### 2.3 Other hazards

Physico-chemical hazards No particular hazards known.

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards** Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

This product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200.

### **SECTION 3: Composition / Information on ingredients**

### 3.1 Substances

Not applicable

### automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 2 / 15

### 3.2 Mixtures

### The product is a mixture.

Range [%]	Substance
25 - 50	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8
1 - < 2,5	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich
	CAS: 398141-87-2
0,01 - < 0,25	C16-18-(even numbered, saturated and unsaturated)-alkylamines
	CAS: 1213789-63-9
0,01 - < 0,25	Alkyl thiophosphites

Comment on component parts For full text of H-statements: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Do not induce vomiting.

Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

## **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

**Suitable extinguishing media** Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Sulphur oxides (SOx).

## 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

### automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 3 / 15

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water. Use personal protective equipment.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

## 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

## 6.4 Reference to other sections

See SECTION 8+13

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

No special measures necessary if used correctly.

Use only in well-ventilated areas. Use solvent-resistant equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.

Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

# automatic transmission fluid (ATF) Article number 32600, 32605, 194470



## Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 4 / 15

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance

Distillates (petroleum), hydrotreated light paraffinic

CAS: 64742-55-8

Long-term exposure: 10 mg/m³, TWA: mist & aerosol

### **DNEL**

Substance
Alkyl thiophosphites
Industrial, inhalative, Long-term - systemic effects, 1,76 mg/m³
Industrial, dermal, Long-term - systemic effects, 0,5 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 0,43 mg/m³
general population, dermal, Long-term - systemic effects, 0,25 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³
Industrial, inhalative, Long-term - local effects, 5,58 mg/m³
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2
Industrial, inhalative, Long-term - systemic effects, 24.7 mg/m³
Industrial, dermal, Long-term - systemic effects, 350 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 4.35 mg/m³
general population, dermal, Long-term - systemic effects, 125 mg/kg bw/day
general population, oral, Long-term - systemic effects, 2.5 mg/kg bw/day
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
Industrial, inhalative, Long-term - local effects, 1 mg/m³
Industrial, inhalative, Acute - local effects, 1 mg/m³
Industrial, inhalative, Long-term - systemic effects, 0,38 mg/m³
general population, inhalative, Long-term - systemic effects, 0,035 mg/m³
general population, oral, Long-term - systemic effects, 40 μg/kg bw/d

### **PNEC**

Substance

Alkyl thiophosphites
freshwater, 900 ng/l
seawater, 90 ng/l
sewage treatment plants (STP), 54 mg/l
sediment (freshwater), 0,073 mg/kg
sediment (seawater), 0,007 mg/kg
soil, 0,015 mg/kg
oral (food), 10 mg/kg
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
oral (food), 9,33 mg/kg food
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2
freshwater, 2.4 µg/L

# automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 5 / 15

seawater, 330 ng/L
sewage treatment plants (STP), 100 mg/L
sediment (freshwater), 433 µg/kg sediment dw
sediment (seawater), 59.6 μg/kg sediment dw
soil, 85.3 µg/kg soil dw
oral (food), 111.11 mg/kg food
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
freshwater, 0,26 µg/L
seawater, 0,026 µg/L
sewage treatment plants (STP), 550 μg/L
sediment (freshwater), 3,76 mg/kg dw
sediment (freshwater), 0,376 mg/kg dw
soil, 10 mg/kg dw

### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

General limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3).

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapors/aerosols. Avoid contact with eyes and skin.

Respiratory protection Not applicable

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

### automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 6 / 15

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Physical state Liquid **Form** Liquid Color red

Odor characteristic

**Odor threshold** No information available.

pH-value Not applicable Not applicable pH-value [1%]

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 210 (EN ISO 2592) Flammability No information available. No information available. Lower explosion limit No information available. Upper explosion limit

**Oxidizing properties** No

Vapor pressure/gas pressure [kPa] No information available.

Density [g/cm<sup>3</sup>] 0,84 (DIN 51757) (15 °C / 59,0 °F)

Relative density Not determined Bulk density [kg/m³] Not applicable Solubility in water immiscible

Solubility other solvents No information available. Partition coefficient n-octanol/water No information available.

(log value)

29 mm<sup>2</sup>/s 40°C (DIN 51562) Kinematic viscosity

Relative vapour density No information available. Melting point [°C] No information available.

Auto-ignition temperature [°C] Not applicable

Decomposition temperature [°C] No information available. Particle characteristics No information available.

9.2 Other information

No information available.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

### 10.4 Conditions to avoid

No special measures necessary.

automatic transmission fluid (ATF) Article number 32600, 32605, 194470



## Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 7 / 15

## 10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds strong acids

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 8 / 15

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Acute oral toxicity

Product

oral, Based on the information available, the classification criteria have not been fulfilled.

Substance

Alkyl thiophosphites

LD50, oral, Rat, > 2000 mg/kg

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, oral, Rat, 5000 mg/kg bw

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2

LD50, oral, Rat, 10 mL/kg bw

C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9

LD50, oral, Rat, 1200 - 2000 mg/kg bw

#### Acute dermal toxicity

Product

dermal, Based on the information available, the classification criteria have not been fulfilled.

Substance

Alkyl thiophosphites

LD50, dermal, Rabbit, > 500 mg/kg

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2

LD10, dermal, Rabbit, 4000 - 8000 mg/kg bw

C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9

LD50, dermal, Rat, > 2000 mg/kg bw

## Acute inhalational toxicity

Product

inhalative, Based on the information available, the classification criteria have not been fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h

### Serious eye damage/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

Eye, non-irritating

C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9

Eye, Causes serious eye damage.

### Skin corrosion/irritation

Based on the information available, the classification criteria have not been fulfilled.

Substance

## automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 9 / 15

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-irritating

C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9

dermal, corrosive

Respiratory or skin sensitisation

Based on the information available, the classification criteria have not been fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-sensitizing

C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9

dermal, non-sensitizing

inhalative, non-sensitizing

Specific target organ toxicity — single exposure

Based on the information available, the classification criteria have not been fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

inhalative, no adverse effect observed

C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9

inhalative, irritant

Specific target organ toxicity — repeated exposure

Based on the information available, the classification criteria have not been fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEC, inhalative, Rat, 980 mg/m³ (subacute), no adverse effect observed

LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.

LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2

NOAEC, oral, Rat, 100 - 500 mg/kg bw/day

Mutagenicity

Based on the information available, the classification criteria have not been fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

in vitro, negativ

Reproduction toxicity

Based on the information available, the classification criteria have not been fulfilled.

- Fertility

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

- **Development** No information available.

**Carcinogenicity**Based on the information available, the classification criteria have not been fulfilled. **Aspiration hazard**Based on the information available, the classification criteria have not been fulfilled.

**General remarks** 

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

### automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 10 / 15

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Product
Based on the information available, the classification criteria have not been fulfilled.
Substance

Substance Alkyl thiophosphites EL50, (48h), Daphnia magna, 0,09 mg/l EL50, (72h), Selenastrum capricornutum, 0,31 mg/l LL50, (21d), Daphnia magna, 0,22 mg/l LL50, (24h), Oncorhynchus mykiss, 2 mg/l Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8 NOELR, (14d), fish, 1 g/L LL50, (96h), Invertebrates, 10 g/L LL50, (96h), fish, 100 mg/L Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2 EC50, (48h), Daphnia magna, 4,6 mg/l (OECD 202) NOELR, (72h), Algae, 313 μg/L LL50, (96h), Oncorhynchus mykiss, 2,4 mg/l (OECD 203) C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9 LC50, (96h), fish, 60 - 4210 µg/L

EC50, (48h), Invertebrates, 320 - 980 μg/L

EC50, (72h), Algae, 80 - 460 μg/L

NOEC, (21d), Invertebrates, 13 µg/L

### 12.2 Persistence and degradability

Behaviour in environment Not determined

compartments

Behaviour in sewage plant Not determined **Biological degradability** Not determined

## 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

## 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

### automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 11 / 15

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

**Product** 

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control

regulations. Consult your local or regional authorities.

## **SECTION 14: Transport**

#### 14.1 UN number

Transport by land according to

ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with

**IMDG** 

Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

### 14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

DOT Road Shipment Information (49 NOT CLASSIFIED AS "DANGEROUS GOODS"

CFR)

## automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 12 / 15

### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with **IMDG** 

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable CFR)

14.4 Packing group

Transport by land according to ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

14.5 Environmental hazards

Transport by land according to

ADR/RID

No

Inland navigation (ADN)

No

Marine transport in accordance with No

**IMDG** 

Air transport in accordance with IATA No

DOT Road Shipment Information (49 No

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 13 / 15

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**US Regulations** 

National regulations 29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA,

TSCA, California - Prop. 65

SARA, 302 No information available.
 SARA, 311 No information available.
 SARA, 313 No information available.

- TSCA All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory.

FDA No information available.
 American Conference of No information available.

Governmental Industrial Hygienists -

ACGIH

International Agency for Research on No information available.

**Cancer IARC** 

National Toxicology Program - NTP No information available.

HAP-VOC No information available.

Transport-regulations DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

### automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 14 / 15

### **SECTION 16: Other information**

### 16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;

CAS = Chemical Abstracts Service;

CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;

CFR = Code of Federal Regulations;

CPR = Controlled Products Regulations;

DMEL = Derived Minimum Effect Level;

DNEL = Derived No Effect Level;

DOT = Department of Transportation;

EC50 = Median effective concentration;

EPA = Environmental Protection Agency;

GHS = Globally Harmonized System of Classification and Labelling of Chemicals;

IATA = International Air Transport Association;

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk;

IC50 = Inhibition concentration, 50%;

IMDG = International Maritime Code for Dangerous Goods;

IARC = International Agency of Research on Cancer;

IATA = International Air Transport Association;

TSCA = Toxic Substance Control Act;

HMIS = Hazardous Materials Identification System;

NFPA = National Fire Protection Association;

NIOSH = National Institute for Occupational Safety and Health;

OSHA = Occupational Safety and Health Administration;

LC50 = Lethal concentration, 50%;

LD50 = Median lethal dose, 50%;

MARPOL = International Convention for the Prevention of Marine Pollution from Ships;

PBT = Persistent, Bioaccumulative and Toxic substance;

PNEC = Predicted No-Effect Concentration;

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;

SARA = Superfund Amendments and Reauthorization Act;

TLV®/TWA = Threshold limit value – time-weighted average; TLV®STEL = Threshold limit value – short-time exposure limit;

VOC = Volatile Organic Compounds;

vPvB = very Persistent and very Bioaccumulative;

## 16.2 Ratings

## automatic transmission fluid (ATF) Article number 32600, 32605, 194470



### Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0

Page 15 / 15

### **NFPA Ratings**



TOP, FLAMMABILITY: 1 - Slight Hazard LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTIVITY: 1 - Slight Hazard BOTTOM, SPECIAL NOTICE:

### **HMIS Ratings**



- 1 Slight Hazard
- 1 Slight Hazard
- 1 Slight Hazard
- X Personal protection rating to be supplied by user depending on use conditions

### PERSONAL PROTECTION:

- A Safety Glasses
- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron
- D Face Shield, Gloves and Protection Apron
- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

## **Modified position**

None