

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SAE 10W-40 Truck Special Longlife Plus
Article number: 34050, 34051, 34052

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

Hazard pictograms None

Signal word None

Hazard statements None

Precautionary statements None

Special labelling EUH210 Safety data sheet available on request.

Contains: Calcium sulfonate, Calcium sulfonate, borated. EUH208 May produce an allergic reaction.

2.3 Other hazards

Other hazards None

SECTION 3: Composition / Information on ingredients

3.1 Substances

Not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2023, Revision 22.02.2023

Version 10.0. Supersedes version: 9.0

Page 2 / 15

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 50	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) CAS: 64742-54-7
1 - < 5	3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate CAS: 125643-61-0
0.1 - < 1	Calcium sulfonate, borated
0.1 - < 1	Calcium sulfonate
0.01 - < 0.1	Phenol, dodecyl-, branched CAS: 121158-58-5

Comment on component parts

Contains less than 3% w/w DMSO-extract (only for mineral oils)
Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.
Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.
Use only in well-ventilated areas.

Keep away from all sources of ignition - Refrain from smoking.

Do not eat, drink or smoke when using this product.
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
Use barrier skin cream.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.
Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7
Long-term exposure: 5 mg/m ³ , OSHA, oil mist

DNEL

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
Industrial, dermal, Acute - systemic effects, 166 mg/kg bw
Industrial, dermal, Long-term - systemic effects, 0.25 mg/kg bw
Industrial, inhalative (mist), Acute - systemic effects, 44.18 mg/m ³
general population, dermal, Acute - systemic effects, 50 mg/kg bw
general population, dermal, Long-term - systemic effects, 0.075 mg/kg bw
general population, inhalative (mist), Acute - systemic effects, 13.26 mg/m ³
general population, inhalative (mist), Long-term - systemic effects, 0.79 mg/m ³
general population, oral, Long-term - systemic effects, 0.075 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m ³
3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0
Industrial, dermal, Long-term - systemic effects, 220 µg/kg bw/day
Industrial, dermal, Acute - systemic effects, 20 mg/kg bw/day
Industrial, dermal, Long-term - local effects, 6 µg/cm ²
Industrial, inhalative, Acute - systemic effects, 1750 mg/m ³
Industrial, inhalative, Long-term - systemic effects, 2.33 mg/m ³
Industrial, dermal, Acute - local effects, 1 mg/cm ²
general population, inhalative, Long-term - systemic effects, 740 µg/m ³
general population, inhalative, Acute - systemic effects, 875 mg/m ³
general population, dermal, Long-term - systemic effects, 330 µg/kg bw/day
general population, dermal, Acute - local effects, 8.33 mg/cm ²
general population, oral, Long-term - systemic effects, 160 µg/kg bw/day
general population, oral, Acute - systemic effects, 50 mg/kg bw/day

PNEC

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
oral (food), 4 mg/kg
freshwater, 0.000074 mg/l
sediment (freshwater), 0.226 mg/kg
sediment (seawater), 0.0226 mg/kg
seawater, 0.000074 mg/l

Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2023, Revision 22.02.2023

Version 10.0. Supersedes version: 9.0

Page 5 / 15

soil, 0.188 mg/kg
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9.33 mg/kg
3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0
oral (food), 41.33 mg/kg food
sediment (seawater), 37 - 23300 µg/kg sediment dw
soil, 50 - 189000 µg/kg soil dw
sediment (freshwater), 370 - 233000 µg/kg sediment dw
sewage treatment plants (STP), 1 - 100 mg/L
seawater, 30 - 1800 ng/L
freshwater, 4.3 - 30 µg/L

8.2 Exposure controls

Additional advice on system design	<p>Ensure adequate ventilation on workstation.</p> <p>General limit for oil mist should be noted.</p> <p>Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.</p>
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	<p>The details concerned are recommendations. Please contact the glove supplier for further information.</p> <p>> 0.4 mm/ Nitrile rubber, >120 min (EN 374-1/-2/-3).</p>
Skin protection	<p>light protective clothing</p> <p>Do not inhale gases/vapors/aerosols.</p> <p>Avoid contact with eyes and skin.</p> <p>Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.</p>
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Form	Liquid
Color	light brown
Odor	characteristic
Odor threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point [°C]	Not applicable
Flash point [°C]	234
Flammability [°C]	No information available.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Oxidizing properties	No
Vapor pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0.86 (15 °C / 59,0 °F)
Relative density	Not determined
Bulk density [kg/m³]	Not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	101.39 mm²/s (40°C)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	Not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Strong heating.



Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2023, Revision 22.02.2023

Version 10.0. Supersedes version: 9.0

Page 7 / 15

10.5 Incompatible materials

Strong basic compounds
strong acids
Strong oxidizing agent.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product
oral, Based on the information available, the classification criteria have not been fulfilled.
Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
LD50, oral, Rat, 2100 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0
LD50, oral, Rat, 500 - 2000 mg/kg bw

Acute dermal toxicity

Product
dermal, Based on the information available, the classification criteria have not been fulfilled.
Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
LD50, dermal, Rabbit, 15000 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw
3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0
LD50, dermal, Rat, 2000 mg/kg bw

Acute inhalational toxicity

Product
inhalative, Based on the information available, the classification criteria have not been fulfilled.
Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation Based on the information available, the classification criteria have not been fulfilled.

Skin corrosion/irritation Based on the information available, the classification criteria have not been fulfilled.

Respiratory or skin sensitisation Based on the information available, the classification criteria have not been fulfilled.

Specific target organ toxicity — single exposure Based on the information available, the classification criteria have not been fulfilled.

Specific target organ toxicity — repeated exposure Based on the information available, the classification criteria have not been fulfilled.

Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
NOAEL, oral, Rat, 60 - 100 mg/kg bw/day
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m ³ air

Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2023, Revision 22.02.2023

Version 10.0. Supersedes version: 9.0

Page 9 / 15

LOAEL, oral, Rat, 125 mg/kg bw/day
3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0
NOAEL, dermal, Rat, 500 - 1000 mg/kg bw/day
NOAEL, oral, Rat, 3 - 750 mg/kg bw/day

Mutagenicity

Based on the information available, the classification criteria have not been fulfilled.

Reproduction toxicity

Based on the information available, the classification criteria have not been fulfilled.

- Fertility

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

- Development

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

Carcinogenicity

Based on the information available, the classification criteria have not been fulfilled.

Aspiration hazard

Based on the information available, the classification criteria have not been fulfilled.

General remarks

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the information available, the classification criteria have not been fulfilled.
Substance
Phenol, dodecyl-, branched, CAS: 121158-58-5
EC50, (24h), Invertebrates, 106 µg/L
EC50, (48h), Invertebrates, 37 - 92.7 µg/L
EC50, (21d), Invertebrates, 7.9 - 8.6 µg/L
EC50, (72h), Algae, 150 - 765 µg/L
EL50, (4d), fish, 40 mg/L
NOEC, (72h), Algae, 70 - 442 µg/L
NOEC, (48h), Invertebrates, 11 µg/L
NOEC, (21d), Invertebrates, 3.7 µg/L
NOELR, (4d), fish, 25 mg/L
EC0, (48h), Invertebrates, 56 µg/L
EC10, (72h), Algae, 530 - 765 µg/L
LOEC, (21d), Invertebrates, 12 µg/L
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate, CAS: 125643-61-0
LC50, (14d), fish, 100 mg/L
EC50, (72h), Algae, 180 - 3000000 ng/L
EC50, (3h), Water microorganisms, 100 - 1000 mg/L
EC50, (48h), Invertebrates, 8.2 - 1000000 µg
NOEC, (21d), Invertebrates, 10 µg/L
NOEC, (33d), fish, 360 µg/L

12.2 Persistence and degradability

Behaviour in environment
compartments

Behaviour in sewage plant

Biological degradability

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.



Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2023, Revision 22.02.2023

Version 10.0. Supersedes version: 9.0

Page 11 / 15

12.6 Endocrine disrupting properties

The mixture contains the following substances with endocrine disrupting potential.: EINECS: 310-154-3

12.7 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

In according to RoHS!
Coordinate disposal with the authorities if necessary.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

RCRA Hazard Class (40CFR 261)

SECTION 14: Transport

14.1 UN number

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

DOT Road Shipment Information (49 CFR) Not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2023, Revision 22.02.2023

Version 10.0. Supersedes version: 9.0

Page 12 / 15

14.3 Transport hazard class(es)

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

14.4 Packing group

Transport by land according to ADR/RID Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with IMDG Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 CFR) Not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID No

Inland navigation (ADN) No

Marine transport in accordance with IMDG No

Air transport in accordance with IATA No

DOT Road Shipment Information (49 CFR) No

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations

29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302

- SARA, 311

- SARA, 313

- TSCA

- FDA

American Conference of
Governmental Industrial Hygienists -
ACGIH

International Agency for Research on
Cancer IARC

National Toxicology Program - NTP

HAP-VOC

Transport-regulations

DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

15.2 Chemical safety assessment

Not applicable

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;
CAS = Chemical Abstracts Service;
CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;
CFR = Code of Federal Regulations;
CPR = Controlled Products Regulations;
DMEL = Derived Minimum Effect Level;
DNEL = Derived No Effect Level;
DOT = Department of Transportation;
EC50 = Median effective concentration;
EPA = Environmental Protection Agency;
GHS = Globally Harmonized System of Classification and Labelling of Chemicals;
IATA = International Air Transport Association;
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IC50 = Inhibition concentration, 50%;
IMDG = International Maritime Code for Dangerous Goods;
IARC = International Agency of Research on Cancer;
IATA = International Air Transport Association;
TSCA = Toxic Substance Control Act;
HMIS = Hazardous Materials Identification System;
NFPA = National Fire Protection Association;
NIOSH = National Institute for Occupational Safety and Health;
OSHA = Occupational Safety and Health Administration;
LC50 = Lethal concentration, 50%;
LD50 = Median lethal dose, 50%;
MARPOL = International Convention for the Prevention of Marine Pollution from Ships;
PBT = Persistent, Bioaccumulative and Toxic substance;
PNEC = Predicted No-Effect Concentration;
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;
SARA = Superfund Amendments and Reauthorization Act;
TLV®/TWA = Threshold limit value – time-weighted average;
TLV®STEL = Threshold limit value – short-time exposure limit;
VOC = Volatile Organic Compounds;
vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings

Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2023, Revision 22.02.2023

Version 10.0. Supersedes version: 9.0

Page 15 / 15

NFPA Ratings



TOP, FLAMMABILITY:
LEFT, HEALTH:
RIGHT, REACTIVITY:
BOTTOM, SPECIAL NOTICE:

HMIS Ratings

HEALTH
FLAMMABILITY
PHYSICAL HAZARD

PERSONAL PROTECTION:

- A - Safety Glasses
- B - Safety Glasses and Gloves
- C - Safety Glasses, Gloves and Protection Apron
- D - Face Shield, Gloves and Protection Apron
- E - Safety Glasses, Gloves and Dust Respirator
- F - Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G - Safety Glasses, Gloves and Vapor Respirator.
- H - Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I - Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J - Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K - Airline Mask or Hood, Gloves, Full Suit and Boots.
- X - Personal protection rating to be supplied by user depending on use conditions

Modified position

SECTION 2 been added: Calcium sulfonate, borated
SECTION 2 been added: Calcium sulfonate
SECTION 3 been added: Phenol, dodecyl-, branched
SECTION 3 been added: Calcium sulfonate, borated
SECTION 3 been added: Calcium sulfonate
SECTION 3 been added: 3-(3,5-Di-tert-butyl-4-hydroxyphenyl)-C7-9-verzweigte Alkylpropionate
SECTION 3 deleted:
SECTION 3 deleted: calcium phenate derivative, overbased
SECTION 3 deleted: Reaction products of diphenylamine with nonene, branched
SECTION 2 been added: EUH208 May produce an allergic reaction.
SECTION 11 been added: The mixture contains the following substances with endocrine disrupting potential.: [x]
SECTION 12 been added: The mixture contains the following substances with endocrine disrupting potential.: [x]