automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 1 / 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

automatic transmission fluid (ATF) Article number: 34608, 38935, 38936, 38937

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

# 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200  $\,$ 

(HCS 2012)

Hazard pictograms None
Signal word None
Hazard statements None
Precautionary statements None

**Special labelling** EUH210 Safety data sheet available on request.

2.3 Other hazards

**Environmental hazards**Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards No particular hazards known.

This product is classified as non-hazardous in accordance to OSHA Standard 29 CFR

1910.1200.

## **SECTION 3: Composition / Information on ingredients**

## 3.1 Substances

Not applicable

### automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 2 / 13

#### 3.2 Mixtures

#### The product is a mixture.

Range [%]	Substance		
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based		
	CAS: 72623-87-1		

Comment on component parts For full text of H-statements: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Do not induce vomiting.

Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

Headache

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

### **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

# 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

### automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 3 / 13

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

## 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

The product is combustible.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace.

Cloths contaminated with product should not be kept in trouser pockets.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

# 7.3 Specific end use(s)

See product use, SECTION 1.2

automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 4 / 13

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

CAS: 72623-87-1

Long-term exposure: 5 mg/m³, ACGIH, TWA, Oil mist

**DNEL** 

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m<sup>3</sup>

Industrial, inhalative, Long-term - local effects, 5.58 mg/m<sup>3</sup>

Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day

general population, inhalative, Long-term - local effects, 1.19 mg/m3

general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day

**PNEC** 

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

oral (food), 9.33 mg/kg food

## 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

General limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information. In full contact:

> 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).

**Skin protection** light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapors/aerosols. Avoid contact with eyes and skin.

Respiratory protection No special measures necessary.

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 5 / 13

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical stateLiquidFormLiquidColorlight brownOdorcharacteristic

Odor threshold No information available.

pH-value Not applicable

pH-value [1%] No information available.

Boiling point or initial boiling point

and boiling range [°C]

Not applicable

Flammability

Flammability

Lower explosion limit

Upper explosion limit

No information available.

No information available.

No information available.

Oxidizing properties No

Vapor pressure/gas pressure [kPa]

No information available.

Density [g/cm³]

Relative density

Not determined

Not applicable

Solubility in water

No information available.

No information available.

Not applicable immiscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity

29,6 mm²/s (40°C) (DIN 53211/4)

Relative vapour density

No information available.

Melting point [°C]

No information available.

Auto-ignition temperature [°C] Not applicable

Decomposition temperature [°C]No information available.Particle characteristicsNo information available.

9.2 Other information

None

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

Strong heating.

automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



## Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 6 / 13

# 10.5 Incompatible materials

Oxidizing agent Strong basic compounds strong acids

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 7 / 13

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Acute oral toxicity

Product

oral, Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, 5000 mg/kg bw

#### Acute dermal toxicity

Product

dermal, Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

#### Acute inhalational toxicity

Product

inhalative, Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation

Skin corrosion/irritation

Respiratory or skin sensitisation

Specific target organ toxicity —

single exposure

Specific target organ toxicity —

repeated exposure

Based on the information available, the classification criteria have not been fulfilled.

Based on the information available, the classification criteria have not been fulfilled.

Based on the information available, the classification criteria have not been fulfilled.

Based on the information available, the classification criteria have not been fulfilled.

Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Based on the information available, the classification criteria have not been fulfilled.

Reproduction toxicity Based on the information available, the classification criteria have not been fulfilled.

Based on the information available, the classification criteria have not been fulfilled.

Based on the information available, the classification criteria have not been fulfilled.

Aspiration hazard General remarks

Carcinogenicity

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 8 / 13

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product

Based on the information available, the classification criteria have not been fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOELR, (14d), fish, 1 g/L

LL50, (4d), Invertebrates, 10 g/L

LL50, (4d), fish, 100 mg/L

### 12.2 Persistence and degradability

Behaviour in environment

compartments

Not determined

Behaviour in sewage plant Not determined Biological degradability Not determined

### 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

**Product** 

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

# RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



Page 9 / 13

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

# **SECTION 14: Transport**

14.1	UN	num	ber
------	----	-----	-----

Transport by land according to

ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with

**IMDG** 

Not applicable

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

CFR)

DOT Road Shipment Information (49 NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with Not applicable

**IMDG** 

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 10 / 13

# 14.4 Packing group

Transport by land according to ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with Not applicable

**IMDG** 

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

### 14.5 Environmental hazards

Transport by land according to ADR/RID

No

Inland navigation (ADN)

No

Marine transport in accordance with No

**IMDG** 

Air transport in accordance with IATA No

DOT Road Shipment Information (49 No

CFR)

## 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 11 / 13

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**US Regulations** 

National regulations 29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA,

TSCA, California - Prop. 65

SARA, 302 No information available.
 SARA, 311 No information available.
 SARA, 313 No information available.

- TSCA All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory.

- FDA No information available.

American Conference of Ingre

Governmental Industrial Hygienists -

ACGIH

**Cancer IARC** 

Ingredients not listed as carcinogens.

International Agency for Research on No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

National Toxicology Program - NTP No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

**HAP-VOC**No information available.

Transport-regulations DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

### automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0

Page 12 / 13

### **SECTION 16: Other information**

### 16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;

CAS = Chemical Abstracts Service;

CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;

CFR = Code of Federal Regulations;

CPR = Controlled Products Regulations;

DMEL = Derived Minimum Effect Level;

DNEL = Derived No Effect Level;

DOT = Department of Transportation;

EC50 = Median effective concentration;

EPA = Environmental Protection Agency;

GHS = Globally Harmonized System of Classification and Labelling of Chemicals;

IATA = International Air Transport Association;

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk;

IC50 = Inhibition concentration, 50%;

IMDG = International Maritime Code for Dangerous Goods;

IARC = International Agency of Research on Cancer;

IATA = International Air Transport Association;

TSCA = Toxic Substance Control Act;

HMIS = Hazardous Materials Identification System;

NFPA = National Fire Protection Association;

NIOSH = National Institute for Occupational Safety and Health;

OSHA = Occupational Safety and Health Administration;

LC50 = Lethal concentration, 50%;

LD50 = Median lethal dose, 50%;

MARPOL = International Convention for the Prevention of Marine Pollution from Ships;

PBT = Persistent, Bioaccumulative and Toxic substance;

PNEC = Predicted No-Effect Concentration;

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;

SARA = Superfund Amendments and Reauthorization Act;

TLV®/TWA = Threshold limit value – time-weighted average; TLV®STEL = Threshold limit value – short-time exposure limit;

VOC = Volatile Organic Compounds;

vPvB = very Persistent and very Bioaccumulative;

## 16.2 Ratings

automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937



### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2024, Revision 15.03.2024

Version 13.0. Supersedes version: 11.0 P

Page 13 / 13

#### **NFPA Ratings**



TOP, FLAMMABILITY: 1 - Slight Hazard LEFT, HEALTH: 1 - Slight Hazard RIGHT, REACTIVITY: 1 - Slight Hazard BOTTOM, SPECIAL NOTICE:

#### **HMIS Ratings**



- 1 Slight Hazard
- 1 Slight Hazard
- 1 Slight Hazard
- X Personal protection rating to be supplied by user depending on use conditions

#### PERSONAL PROTECTION:

- A Safety Glasses
- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron
- D Face Shield, Gloves and Protection Apron
- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

## **Modified position**

None