antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0

Page 1 / 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

antifreeze 12++

Article number: 37402, 37401, 37400

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

None known.

## 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

Company +49 2333 911-0

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Acute Tox. 4: H302 Harmful if swallowed.

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

Eye Irrit. 2: H319 Causes serious eye irritation.

Repr. 2: H361d Suspected of damaging the unborn child.

antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0

## Page 2 / 14

#### 2.2 Label elements

Signal word

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200

(HCS 2012)

**Hazard pictograms** 

Contains:

Ethylene glycol, CAS: 107-21-1

potassium 2-ethylhexanoate, CAS: 3164-85-0 Methyl-1H-benzotriazole, CAS: 29385-43-1

Hazard statements H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

P101 If medical advice is needed, have product container or label at hand. **Precautionary statements** 

P102 Keep out of reach of children. P260 Do not breathe vapors.

P270 Do no eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

GHS.P501-2

P280 Wear eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

#### Other hazards 2.3

Other hazards Further hazards were not determined with the current level of knowledge.

This product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200.

## **SECTION 3: Composition / Information on ingredients**

#### **Substances** 3 1

Not applicable

#### **Mixtures**

The product is a mixture.

Range [%]	Substance
75 - < 100	Ethylene glycol
	CAS: 107-21-1
1 - < 3	potassium 2-ethylhexanoate
	CAS: 3164-85-0
0.1 - < 0.3	Methyl-1H-benzotriazole
	CAS: 29385-43-1

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For full text of H-statements: see SECTION 16.

### antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023 Version 12.0. Sup

Version 12.0. Supersedes version: 11.0 Page 3 / 14

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Remove person to fresh air and keep comfortable for breathing.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to the doctor. Monitor kidney function and hematology.

## **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be

considered.

Extinguishing media that must not

be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

## 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

## 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

antifreeze 12++ Article number 37402, 37401, 37400



### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0

Page 4 / 14

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provide suitable vacuuming at the processing area.

Take off contaminated clothing and wash before reuse.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

## 7.3 Specific end use(s)

See product use, SECTION 1.2

antifreeze 12++ Article number 37402, 37401, 37400



## Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0

Page 5 / 14

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance	
Ethylene glycol	
CAS: 107-21-1	
Long-term exposure: 100 mg/m³, ACGIH (Ceiling (aerosol only))	

## **DNEL**

Substance
potassium 2-ethylhexanoate, CAS: 3164-85-0
Industrial, dermal, Long-term - systemic effects, 5.95 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 32 mg/m³
general population, oral, Long-term - systemic effects, 2.5 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 2.98 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 8 mg/m³
Methyl-1H-benzotriazole, CAS: 29385-43-1
Industrial, dermal, Long-term - systemic effects, 300 μg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 21.2 mg/m³
general population, oral, Long-term - systemic effects, 10 μg/kg bw/day
general population, dermal, Long-term - systemic effects, 10 µg/kg bw/day
general population, inhalative, Long-term - systemic effects, 350 μg/m³

## **PNEC**

Substance
potassium 2-ethylhexanoate, CAS: 3164-85-0
soil, 1.06 mg/kg
sediment (seawater), 637 μg/kg
sediment (freshwater), 6.37 mg/kg
sewage treatment plants (STP), 71.7 mg/L
seawater, 36 µg/L
freshwater, 360 μg/L
Methyl-1H-benzotriazole, CAS: 29385-43-1
soil, 18.7 μg/kg soil dw
sediment (seawater), 292 μg/kg sediment dw
sediment (freshwater), 117 μg/kg sediment dw
sewage treatment plants (STP), 39.4 mg/L
seawater, 20 µg/L
freshwater, 8 µg/L

### antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023 Versi

Version 12.0. Supersedes version: 11.0 Page 6 / 14

#### 8.2 Exposure controls

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0.4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

**Skin protection** Light protective clothing.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Do not inhale vapors.

**Respiratory protection** Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, combination filter A-P2.

Thermal hazards None

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Liquid

Form Liquid

Color magenta

Odor characteristic

Odor threshold No information available.

**pH-value** 7.5 - 8.8 (33%)

pH-value [1%]

Boiling point [°C]

Flash point [°C]

Flammability

No information available.

> 100 (DIN 51758)

Not applicable

Lower explosion limitNo information available.Upper explosion limitNo information available.

Oxidizing properties No.

Vapor pressure/gas pressure [kPa] <0.01 (20°C)

**Density [g/cm³]** ca. 1.12 (DIN 51757) (20 °C / 68,0 °F)

Relative density

Bulk density [kg/m³]

Not applicable

Solubility in water

Not determined

Miscible

Solubility other solvents No information available. Partition coefficient [n-octanol/water] No information available. Kinematic viscosity No information available. Relative vapour density No information available. No information available. **Evaporation speed** Melting point [°C] No information available. Auto-ignition temperature [°C] No information available. Decomposition temperature [°C] No information available. Particle characteristics No information available.

bfe00194

antifreeze 12++ Article number 37402, 37401, 37400



### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0

Page 7 / 14

## 9.2 Other information

No information available.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

## 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with acids.

## 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

Oxidizing agent Acids

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0

Page 8 / 14

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

### Acute oral toxicity

Substance
Ethylene glycol, CAS: 107-21-1
LD50, oral, Rat, 4700 mg/kg
LDLo, oral, Human, ca. 1600 mg/kg Lit.
potassium 2-ethylhexanoate, CAS: 3164-85-0
LD50, oral, Rat, 2043 mg/kg bw
Methyl-1H-benzotriazole, CAS: 29385-43-1
LD50, oral, Rat, 720 mg/kg
NOAEL, oral, Rat, 150 mg/kg bw/day

#### Acute dermal toxicity

Substance	
Ethylene glycol, CAS: 107-21-1	
LD50, dermal, mouse, > 3500 mg/kg Lit.	
potassium 2-ethylhexanoate, CAS: 3164-85-0	
LD50, dermal, Rabbit, 2000 mg/kg bw	
Methyl-1H-benzotriazole, CAS: 29385-43-1	
LD50, dermal, Rabbit, 2000 mg/kg bw	

### Acute inhalational toxicity

Substance
Ethylene glycol, CAS: 107-21-1
LC50, inhalative, Rat, > 200 mg/m³ 4h
potassium 2-ethylhexanoate, CAS: 3164-85-0
LC50, inhalative, Rat, 110 mg/m³ (8 h)

Serious eye damage/irritation Toxicological data of complete product are not available.

Irritant

Calculation method

Substance
potassium 2-ethylhexanoate, CAS: 3164-85-0

Eye, in vitro / ex vivo, OECD 437, corrosive

Skin corrosion/irritation Based on the information available, the classification criteria have not been fulfilled.

Substance
potassium 2-ethylhexanoate, CAS: 3164-85-0

Rabbit, in vivo, OECD 404, irritant

Respiratory or skin sensitisation

Based on the information available, the classification criteria have not been fulfilled.

Specific target organ toxicity—

Based on the information available, the classification criteria have not been fulfilled.

single exposure

Specific target organ toxicity — Toxicological data of complete product are not available.

May cause damage to organs through prolonged or repeated exposure.

Calculation method

Substance
Ethylene glycol, CAS: 107-21-1

## antifreeze 12++ Article number 37402, 37401, 37400



Page 9 / 14

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0

NOAEL, dermal, dogs, 2200 mg/kg bw/day, adverse effect observed

NOAEL, oral, Rat, 150 mg/kg bw/day, adverse effect observed

MutagenicityBased on the information available, the classification criteria have not been fulfilled.Reproduction toxicityBased on the information available, the classification criteria have not been fulfilled.

- Fertility

Substance

potassium 2-ethylhexanoate, CAS: 3164-85-0

NOAEL, Rat, 300 mg/kg bw/day (P0)

- Development

Substance

potassium 2-ethylhexanoate, CAS: 3164-85-0

NOAEL, Rat, 300 mg/kg bw/day (P0)

Carcinogenicity Based on the information available, the classification criteria have not been fulfilled.

Aspiration hazard Based on the information available, the classification criteria have not been fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Substance
Ethylene glycol, CAS: 107-21-1
LC50, (96h), fish, 41000 mg/l
EC50, (48h), Daphnia magna, 34250 mg/l
potassium 2-ethylhexanoate, CAS: 3164-85-0
LC50, (96h), fish, 100 mg/L
EC50, (6d), Algae, 49.3 mg/L
EC50, (48h), Crustacea, 85.4 mg/L
Methyl-1H-benzotriazole, CAS: 29385-43-1
LC50, (96h), fish, 55 - 180 mg/L
EC50, (72h), Algae, 29 - 75 mg/L
EC50, (48h), Invertebrates, 8.58 - 15.8 mg/L
NOEC, (21d), Invertebrates, 18.4 mg/L

### 12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant

**Biological degradability** The product is readily biodegradable.

## 12.3 Bioaccumulative potential

No information available.

## antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0 Page 10 / 14

### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

## 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Product** 

Dispose of as hazardous waste.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control

regulations. Consult your local or regional authorities.

## **SECTION 14: Transport**

#### 14.1 UN number

Transport by land according to

ADR/RID

Not applicable

Inland navigation (ADN) Not applicable

Marine transport in accordance with Not applicable

IMDG

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Page 11 / 14 Version 12.0. Supersedes version: 11.0

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

DOT Road Shipment Information (49 Not applicable

CFR)

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with Not applicable

**IMDG** 

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

14.4 Packing group

Transport by land according to

ADR/RID

Not applicable

Inland navigation (ADN)

Not applicable

Marine transport in accordance with Not applicable

**IMDG** 

Air transport in accordance with IATA Not applicable

DOT Road Shipment Information (49 Not applicable

CFR)

antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0

Page 12 / 14

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

No

Inland navigation (ADN)

No

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA No

DOT Road Shipment Information (49 No

CFR)

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**US Regulations** 

National regulations 29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA,

TSCA, California - Prop. 65

- SARA, 302 This product does not contain any ingredients regulated under this list.

- SARA, 311

- SARA, 313 This product contain one ingredient regulated under this list.

- CA Proposition 65 Some chemical substances Ethylene gylcol (ingested)- CAS 107-21-1 in this material are

named in California-P65 list.



WARNING: This product can expose you to chemicals including "Ethylene gylcol", which is known to the State of California to cause birth defects or other reproductive harm. For more

information go to www.P65Warnings.ca.gov."

- TSCA All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory.

- FDA

American Conference of

Governmental Industrial Hygienists -

ACGIH

International Agency for Research on

Cancer IARC

National Toxicology Program - NTP Ethylene glycol

HAP-VOC 100 %

Transport-regulations DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

#### 15.2 Chemical safety assessment

Not applicable

antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0 Page 13 / 14

### **SECTION 16: Other information**

### 16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;

CAS = Chemical Abstracts Service;

CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;

CFR = Code of Federal Regulations;

CPR = Controlled Products Regulations;

DMEL = Derived Minimum Effect Level;

DNEL = Derived No Effect Level;

DOT = Department of Transportation;

EC50 = Median effective concentration;

EPA = Environmental Protection Agency;

GHS = Globally Harmonized System of Classification and Labelling of Chemicals;

IATA = International Air Transport Association;

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk;

IC50 = Inhibition concentration, 50%;

IMDG = International Maritime Code for Dangerous Goods;

IARC = International Agency of Research on Cancer;

IATA = International Air Transport Association;

TSCA = Toxic Substance Control Act;

HMIS = Hazardous Materials Identification System;

NFPA = National Fire Protection Association;

NIOSH = National Institute for Occupational Safety and Health;

OSHA = Occupational Safety and Health Administration;

LC50 = Lethal concentration, 50%;

LD50 = Median lethal dose, 50%;

MARPOL = International Convention for the Prevention of Marine Pollution from Ships;

PBT = Persistent, Bioaccumulative and Toxic substance;

PNEC = Predicted No-Effect Concentration;

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;

SARA = Superfund Amendments and Reauthorization Act;

TLV®/TWA = Threshold limit value – time-weighted average; TLV®STEL = Threshold limit value – short-time exposure limit;

VOC = Volatile Organic Compounds;

vPvB = very Persistent and very Bioaccumulative;

## 16.2 Ratings

antifreeze 12++ Article number 37402, 37401, 37400



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 15.03.2023, Revision 15.03.2023

Version 12.0. Supersedes version: 11.0 Page 14.0.

## Page 14 / 14

## **NFPA Ratings**



TOP, FLAMMABILITY: 1 - Slight Hazard LEFT, HEALTH: 2 - Moderate Hazard RIGHT, REACTIVITY: 1 - Slight Hazard BOTTOM, SPECIAL NOTICE: -

#### **HMIS Ratings**



- 2\*- Moderate chronic Hazard
- 1 Slight Hazard
- 1 Slight Hazard
- X Personal protection rating to be supplied by user depending on use conditions

#### PERSONAL PROTECTION:

- A Safety Glasses
- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron
- D Face Shield, Gloves and Protection Apron
- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

## **Modified position**

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties. SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.