Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) automatic transmission fluid (ATF) Article number 47716, 100708, 100709, 107394, 194473			
Ferc	linand Bilstein GmbH + Co. KG		
Date	printed 19.04.2024, Revision 20.03.2024	Version 8.1. Supersedes version: 8.0	
SEC	TION 1: Identification of the substa	ance/mixture and of the company/undertaking	
1.1	Product identifier		
		automatic transmission fluid (ATF) Article number: 47716, 100708, 100709, 107394, 194473	
1.2	Relevant identified uses of the su	bstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Lubricant	
1.2.2	Uses advised against		
		None known.	
1.3	Details of the supplier of the safe	ty data sheet	
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance of	r mixture	
		Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.	
2.2	Label elements		
		The product is classified as hazardous in accordance to OSHA Standard 29 ((HCS 2012)	
	Hazard pictograms		
	Signal word	DANGER	

Contains:

Hazard statements

Precautionary statements

CFR 1910.1200

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

H304 May be fatal if swallowed and enters airways.

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Page 1 / 13



Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 2 / 13

2.3 Other hazards

Physico-chemical hazards	No particular hazards known.
Human health dangers	Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.
Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
Other hazards	No particular hazards known.
	This product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200.

SECTION 3: Composition / Information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 100	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7

Comment on component parts	For full text of H-statements: see SECTION 16.	
	Contains less than 3% w/w DMSO-extract (only for mineral oils)	

SECTION 4: First aid measures

4.1 Description of first aid measures		
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.
4.2 Most important symptoms and effects, both acute and delayed		ects, both acute and delayed
		No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
Extinguishing media that must not be used	Full water jet.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) automatic transmission fluid (ATF) Article number 47716, 100708, 100709, 107394, 194473			
Fere	linand Bilstein GmbH + Co. KG		
Date	printed 19.04.2024, Revision 20.03.2024	Version 8.1. Supersedes version: 8.0 Page 3 / 13	
5 0	On a sight because a sight of forms the		
5.2	Special hazards arising from the	Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	
5.3	Advice for firefighters		
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
		Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
SEC	TION 6: Accidental release measu	res	
6.1	Personal precautions, protective	equipment and emergency procedures	
0.1		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.	
6.2	Environmental precautions		
0.2		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3	3 Methods and material for containment and cleaning up		
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		Avoid formation of aerosols.	
		The product is combustible.	
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.	
7.2	Conditions for safe storage, inclu	iding any incompatibilities	
		Keep only in original container. Prevent penetration into the ground.	
		Do not store together with food and animal food/diet.	
		Keep container tightly closed. Keep container in a well-ventilated place.	
7.3	Specific end use(s)	See product use, SECTION 1.2	

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) automatic transmission fluid (ATF) Article number 47716, 100708, 100709, 107394, 194473



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 4 / 13

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Not applicable

DNEL

Destillates (petroleum), hydrotreated heavy paraffinic (containing	ng < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m ³	
Industrial, inhalative, Long-term - local effects, 5.58 mg/m ³	
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/e	day
general population, inhalative, Long-term - local effects, 1.19 m	g/m³
general population, oral, Long-term - systemic effects, 740 µg/k	g bw/day

PNEC

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
oral (food), 9,33 mg/kg	

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3). > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	None
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) automatic transmission fluid (ATF) Article number 47716, 100708, 100709, 107394, 194473



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 5 / 13

SECTION 9: Physica	al and chemical properties
---------------------------	----------------------------

9.1 Information on basic physical and chemical properties

intermation on baolo physical and	
Physical state	Liquid
Form	Liquid
Color	colourless
Odor	characteristic
Odor threshold	No information available.
pH-value	Not applicable
pH-value [1%]	Not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	202
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	No
Vapor pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,83 (15 °C / 59,0 °F)
Relative density	Not determined
Bulk density [kg/m³]	Not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	17,5 mm²/s (40°C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.
Other information	

9.2 Other information

Solidification temperature: -45 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) automatic transmission fluid (ATF) Article number 47716, 100708, 100709, 107394, 194473



Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 6 / 13

10.5 Incompatible materials

Strong oxidizing agent. Acids Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 7 / 13

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product

oral, Based on the information available, the classification criteria have not been fulfilled.

 Substance

 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7</td>

 LD50, oral, Rat, 5000 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the information available, the classification criteria have not been fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Acute inhalational toxicity

Product inhalative, Based on the information available, the classification criteria have not been fulfilled.

 Substance

 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7</td>

 LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation	Based on the information available, the classification criteria have not been fulfilled.
Skin corrosion/irritation	Based on the information available, the classification criteria have not been fulfilled.
Respiratory or skin sensitisation	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — single exposure	Based on the information available, the classification criteria have not been fulfilled.
Specific target organ toxicity — repeated exposure	Based on the information available, the classification criteria have not been fulfilled.

 Substance

 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7</td>

 NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

 NOAEL, dermal, Rabbit, 1000 mg/kg bw/day

 NOAEC, inhalative, Rat, 980 mg/m³ air

 LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity

Reproduction toxicity

Based on the information available, the classification criteria have not been fulfilled. Based on the information available, the classification criteria have not been fulfilled.

- Fertility

 Substance

 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7</td>

 NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed



Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 8 / 13

	Substance	
	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
	NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed	
Carcinogenicity	Based on the information available, the classification criteria have not been fulfilled.	
Aspiration hazard	Based on the information available, the classification criteria have been fulfilled. May be fatal if swallowed and enters airways. On basis of test data	
General remarks		
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.	

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the information available, the classification criteria have not been fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	
Behaviour in sewage plant	
Biological degradability	The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US)
automatic transmission fluid (ATF) Article number 47716, 100708, 100709, 107394, 194473



Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 9 / 13

SEC	SECTION 13: Disposal considerations		
13.1	.1 Waste treatment methods		
	Product		
		Dispose of as hazardous waste. Coordinate disposal with the authorities if necessary. In according to RoHS!	
	Contaminated packaging		
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.	
	RCRA Hazard Class (40CFR 261)		
		Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.	
SEC	TION 14: Transport		
14.1	UN number		
	Transport by land according to ADR/RID	Not applicable	
	Inland navigation (ADN)	Not applicable	
	Marine transport in accordance with IMDG	Not applicable	
	Air transport in accordance with IATA	Not applicable	
	DOT Road Shipment Information (49 CFR)	Not applicable	
14.2	UN proper shipping name		
	Transport by land according to ADR/RID	NO DANGEROUS GOODS	
	Inland navigation (ADN)	NO DANGEROUS GOODS	
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"	
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"	
	DOT Road Shipment Information (49 CFR)	NOT CLASSIFIED AS "DANGEROUS GOODS"	



Page 10 / 13

Version 8.1. Supersedes version: 8.0

Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 20.03.2024

14.3	Transport hazard class(es) Transport by land according to ADR/RID	Not applicable
	Inland navigation (ADN)	Not applicable
	Marine transport in accordance with IMDG	Not applicable
	Air transport in accordance with IATA	Not applicable
	DOT Road Shipment Information (49 CFR)	Not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	Not applicable
	Inland navigation (ADN)	Not applicable
	Marine transport in accordance with IMDG	Not applicable
	Air transport in accordance with IATA	Not applicable
	DOT Road Shipment Information (49 CFR)	Not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	No
	Inland navigation (ADN)	No
	Marine transport in accordance with IMDG	No
	Air transport in accordance with IATA	No
	DOT Road Shipment Information (49 CFR)	No
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable



Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 11 / 13

SECTION 15: Regulatory information

15.2

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations	
National regulations	29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65
- SARA, 302	No information available.
- SARA, 311	No information available.
- SARA, 313	No information available.
- TSCA	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.
- FDA	No information available.
American Conference of Governmental Industrial Hygienists - ACGIH	Ingredients not listed as carcinogens.
International Agency for Research on Cancer IARC	Ingredients not listed as carcinogens.
National Toxicology Program - NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
HAP-VOC	No information available.
Transport-regulations	DOT-Classification, ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)
Chemical safety assessment	

For this product a chemical safety assessment has not been carried out.



Date printed 19.04.2024, Revision 20.03.2024

Version 8.1. Supersedes version: 8.0 Page 12 / 13

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists; ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route; RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses; ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure: CAS = Chemical Abstracts Service; CERCLA = Comprehensive Environmental Response, Compensation and Liability Act; CFR = Code of Federal Regulations; CPR = Controlled Products Regulations; DMEL = Derived Minimum Effect Level; DNEL = Derived No Effect Level; DOT = Department of Transportation; EC50 = Median effective concentration; EPA = Environmental Protection Agency; GHS = Globally Harmonized System of Classification and Labelling of Chemicals; IATA = International Air Transport Association; IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 = Inhibition concentration, 50%; IMDG = International Maritime Code for Dangerous Goods; IARC = International Agency of Research on Cancer; IATA = International Air Transport Association; TSCA = Toxic Substance Control Act; HMIS = Hazardous Materials Identification System; NFPA = National Fire Protection Association; NIOSH = National Institute for Occupational Safety and Health; OSHA = Occupational Safety and Health Administration; LC50 = Lethal concentration, 50%; LD50 = Median lethal dose, 50%; MARPOL = International Convention for the Prevention of Marine Pollution from Ships; PBT = Persistent, Bioaccumulative and Toxic substance; PNEC = Predicted No-Effect Concentration: REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals; SARA = Superfund Amendments and Reauthorization Act; VOC = Volatile Organic Compounds; vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings

Safety Data Sheet (SDS) according to OSHA-GHS (29CFR1910.1200HCS2012) (US) automatic transmission fluid (ATF) Article number 47716, 100708, 100709, 107394, 194473

Ferdinand Bilstein GmbH + Co. KG

Date printed 19.04.2024, Revision 20.03.2024

NFPA Ratings



HMIS Ratings

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	1
PERSONAL PROTECTION	Х

TOP, FLAMMABILITY: 1 - Slight Hazard LEFT, HEALTH: 2 - Moderate Hazard RIGHT, REACTIVITY: 1 - Slight Hazard BOTTOM, SPECIAL NOTICE:

2 - Moderate Hazard

- 1 Slight Hazard
- 1 Slight Hazard
- X Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

A - Safety Glasses

- B Safety Glasses and Gloves
- C Safety Glasses, Gloves and Protection Apron

D - Face Shield, Gloves and Protection Apron

- E Safety Glasses, Gloves and Dust Respirator
- F Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G Safety Glasses, Gloves and Vapor Respirator.
- H Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K Airline Mask or Hood, Gloves, Full Suit and Boots.
- X Personal protection rating to be supplied by user depending on use conditions

Modified position

None

